NOVEL 2'O-ALKYL GUANOSINES

CROSS REFERENCE TO RELATED APPLICATIONS

This application is a continuation-in-part of Application Serial No. 918,362, filed on July 23, 1992 and Application Serial No. US91/00243 filed on January 11, 1991 which is a continuation-in-part of Application Serial No. 463,358 filed on January 11, 1990 and Application Serial No. 566,977 filed on August 13, 1990. This application is related to Application Serial Number 566,977, filed on August 13, 1990. These applications are assigned to the assignee of the present application and are incorporated by reference herein in their entirety.

BACKGROUND OF THE INVENTION

This invention is directed to novel 2'-O-alkyl guanosine and guanosine analogs and methods of use thereof.

A limited number of oligonucleotide analogs have been made. One class of oligonucleotides that have been synthesized are the 2'-O-substituted oligonucleotides. Such oligonucleotides have certain useful properties. In United States patent application serial no. 814,961, filed Dec. 24, 1991, entitled Gapped 2' Modified Phosphorothioate Oligonucleotides, assigned to the same assignee as this application, the entire contents of which are herein incorporated by reference, 2' substituted nucleotides are introduced within an oligonucleotide to induce increased binding of the oligonucleotide to a complementary target

strand while allowing expression of RNase H activity to destroy the targeted strand. In a recent article, Sproat, B.S., Beijer, B. and Iribarren, A., *Nucleic Acids Research*, **1990**, *18*, 41 the authors noted further use of 2'-O-methyl substituted oligonucleotides as "valuable antisense probes for studying pre-mRNA splicing and the structure of spliceosomes". 2'-O-methyl and ethyl nucleotides have been reported by a number of authors. Robins, et al., *J. Org. Chem.*, **1974**, *39*, 1891; Cotten, et al., *Nucleic Acids Research*, **1991**, *19*, 2629; Singer, et al., *Biochemistry* **1976**, *15*, 5052; Robins, *Can. J. Chem.* **1981**, *59*, 3360; Inoue, et al., *Nucleic Acids Research*, **1987**, *15*, 6131; and Wagner, et al., *Nucleic Acids Research*, **1991**, *19*, 5965.

A number of groups have taught the preparation of other 2'-O-alkyl guanosine. Gladkaya, et al., *Khim. Prir. Soedin.*, **1989**, *4*, 568 discloses N_1-methyl-2'-O-(tetrahydropyran-2-yl) and 2'-O-methyl guanosine and Hansske, et al., *Tetrahedron*, **1984**, *40*, 125 discloses a 2'-O-methylthiomethylguanosine. It was produced as a minor by-product of an oxidization step during the conversion of guanosine to 9-ß-*D*-arabinofuranosylguanine, i.e. the arabino analogue of guanosine. The addition of the 2'-O-methylthio-methyl moiety is an artifact from the DMSO solvent utilized during the oxidization procedure. The 2'-O-methylthiomethyl derivative of 2,6-diaminopurine riboside was also reported in the Hansske et al. publication. It was also obtained as an artifact from the DMSO solvent.

Sproat, et al., *Nucleic Acids Research*, **1991**, *19*, 733 teaches the preparation of 2'-O-allyl-guanosine. Allylation of guanosine required a further synthetic pathway. Iribarren, et al., *Proc. Natl. Acad. Sci.*, **1990**, *87*, 7747 also studied 2'-O-allyl oligoribonucleotides. Iribarren, et al. incorporated 2'-O-methyl-, 2'-O-allyl-, and 2'-O-dimethylallyl-substituted nucleotides into oligoribonucleotides to study the effect of these RNA analogues on antisense analysis. Iribarren found that 2'-O-

allyl containing oligoribonucleotides are resistant to digestion by either RNA or DNA specific nucleases and slightly more resistant to nucleases with dual RNA/DNA specificity, than 2'-O-methyl oligoribonucleotides. However, Iribarren found that 2'-O-dimethylallyl containing oligoribonucleotides exhibited reduced hybridization to complementary RNA sequences as compared to 2'-O-methyl oligoribonucleotides. Thus, Iribarren suggested that further attempts to prepare alkylated RNA probes, especially those superior to 2'-allyl cytidine containing oligoribonucleotides should be limited to 2'-O-alkyl groups containing less than five carbon atoms.

In some cases it is desireable to provide 2'-O-alkyl groups having long chain alkyl groups (i.e. four or more carbon atoms). For example, long chain alkyl groups may accomodate functional groups in appropriate orientation with the opposing strand upon strand hybridization. Thus, 2'-O-long chain alkyl nucleotides such as 2'-O-long chain alkyl guanosine nucleotides are highly desireable in some cases. Novel 2'-O-alkylated guanosine compounds are greatly desired. The present invention provides such compounds.

BRIEF DESCRIPTION OF THE INVENTION

Compounds having the structure:

I

wherein X is $R_1-(R_2)_n$;

R_1 is C_3-C_{20} alkyl, C_4-C_{20} alkenyl or C_2-C_{20} alkynyl;

R_2 is halogen, hydroxyl, thiol, keto, carboxyl, nitro, nitroso, nitrile, trifluoromethyl, trifluoromethoxy, O-alkyl, S-alkyl, NH-alkyl, N-dialkyl, O-aryl, S-aryl, NH-

aryl, O-aralkyl, S-aralkyl, NH-aralkyl, amino, N-phthalimido, imidazole, azido, hydrazino, hydroxylamino, isocyanato, sulf-oxide, sulfone, sulfide, disulfide, silyl, aryl, heterocycle, carbocycle, intercalator, reporter molecule, conjugate, poly-amine, polyamide, polyalkylene glycol, polyether, a group that enhances the pharmacodynamic properties of oligonucleotides, or a group that enhances the pharmacokinetic properties of oligonucleotides; and n is an integer from 0 to about 6; are provided in some embodiments of the invention. In more preferred embodiments of the present invention n is from 1 to about 3. In still more preferred embodiments of the present invention n is 1.

Preferred compounds of the invention include 2'-O-propylguanosine, 2'-O-pentylguanosine, 2'-O-nonylguanosine, 2'-O-octadecylguanosine, 2'-O-(N-phthalimido)-pentylguanosine, and 2'-O-(imidazol-1-yl)butylguanosine.

In other embodiments of the present invention compounds having the structure:

II

wherein X is $R_1-(R_2)_n$;

R$_1$ is C_3-C_{20} alkyl;

R$_2$ is NH_2, H-imidazole or N-phthalimido;

Y is a hydroxyl blocking group;

Z is phosphate or an activated phosphate group;

Q_1 and Q_2 independently are H or a guanosine blocking group; and

n is an integer from 0 to about 6, are provided.

In other aspects of the invention compounds are provided having the structure:

III

wherein X is R_1-$(R_2)_n$;

R_1 is C_3-C_{20} alkyl, C_4-C_{20} alkenyl or C_2-C_{20} alkynyl;

R_2 is halogen, hydroxyl, thiol, keto, carboxyl, nitro, nitroso, nitrile, trifluoromethyl, trifluoromethoxy, O-alkyl, S-alkyl, NH-alkyl, N-dialkyl, O-aryl, S-aryl, NH-aryl, O-aralkyl, S-aralkyl, NH-aralkyl, amino, imidazole, N-phthalimido, azido, hydrazino, hydroxylamino, isocyanato, sulfoxide, sulfone, sulfide, disulfide, silyl, aryl, heterocycle, carbocycle, intercalator, reporter molecule, conjugate, polyamine, polyamide, polyethylene glycol, poly-ether, a group that enhances the pharmacodynamic properties of oligonucleotides, or a group that enhances the pharmaco-kinetic properties of oligonucleotides; and n is an iteger from 0 to about 6.

Compounds of the present invention may be incorporated into oligomers. Thus, in some aspects of the present invention are provided oligomers containing at least one subunit having the structure:

IV

wherein X is R_1-$(R_2)_n$;

R_1 is C_3-C_{20} alkyl, C_4-C_{20} alkenyl or C_2-C_{20} alkynyl;

R_2 is halogen, hydroxyl, thiol, keto, carboxyl, nitro, nitroso, nitrile, trifluoromethyl, trifluoromethoxy, O-alkyl, S-alkyl, NH-alkyl, N-dialkyl, O-aryl, S-aryl, NH-aryl, O-aralkyl, S-aralkyl, NH-aralkyl, amino, imidazole, N-phthalimido, azido, hydrazino, hydroxylamino, isocyanato, sulfoxide, sulfone, sulfide, disulfide, silyl, aryl, heterocycle, carbocycle, intercalator, reporter molecule, conjugate, polyamine, polyamide, polyalkylene glycol, poly-ether, a group that enhances the pharmacodynamic properties of oligonucleotides, and a group that enhances the pharmaco-kinetic properties of oligonucleotides;

T_3 and T_5 independently are OH or a further subunit of said oligomer that is joined to said structure; and

n is an integer from 0 to about 6.

In other aspects of the invention, are provided oligomers containing at least one subunit having the structure:


V

wherein X is $R_1-(R_2)_n$;

R_1 is C_1-C_{20} alkyl, C_2-C_{20} alkenyl or C_2-C_{20} alkynyl;

R_2 is halogen, hydroxyl, thiol, keto, carboxyl, nitro, nitroso, nitrile, trifluoromethyl, trifluoromethoxy, O-alkyl, S-alkyl, NH-alkyl, N-dialkyl, O-aryl, S-aryl, NH-aryl, O-aralkyl, S-aralkyl, NH-aralkyl, amino, imidazole, N-phthalimido, azido, hydrazino, hydroxylamino, isocyanato, sulfoxide, sulfone, sulfide, disulfide, silyl, aryl, heterocycle, carbocycle, intercalator, reporter molecule, conjugate, polyamine, polyamide, polyalkylene glycol, poly-ether, a group that enhances the pharmacodynamic properties of oligonucleotides, and a group that enhances the pharmaco-kinetic properties of oligonucleotides; T_3 and T_5 independently are OH or a further subunit of said oligomer that is joined to said structure; and n is an integer from 0 to about 6.

Methods of modulating the synthesis of a protein are also provided by the present invention comprising specifically hybridizing with mRNA coding for said protein an oligomer

containing at least one subunit having the structure having
the structure:

wherein X is $R_1-(R_2)_n$;

R_1 is C_3-C_{20} alkyl, C_4-C_{20} alkenyl or C_2-C_{20} alkynyl;

R_2 is halogen, hydroxyl, thiol, keto, carboxyl,
nitro, nitroso, nitrile, trifluoromethyl, trifluoromethoxy,
O-alkyl, S-alkyl, NH-alkyl, N-dialkyl, O-aryl, S-aryl, NH-
aryl, O-aralkyl, S-aralkyl, NH-aralkyl, amino, imidazole, N-
phthalimido, azido, hydrazino, hydroxylamino, isocyanato,
sulfoxide, sulfone, sulfide, disulfide, silyl, aryl,
heterocycle, carbocycle, intercalator, reporter molecule,
conjugate, polyamine, polyamide, polyalkylene glycol, poly-
ether, a group that enhances the pharmacodynamic properties
of oligonucleotides, or a group that enhances the pharmaco-
kinetic properties of oligonucleotides; T_3 and T_5
independently are OH or a further subunit of said oligomer
that is joined to said structure; and n is an integer from 0
to about 6.

In still other aspects of the invention methods of
modulating the synthesis of a protein are provided comprising
specifically hybridizing with mRNA coding for said protein an

oligomer containing at least one subunit having the structure:

wherein X is $R_1-(R_2)_n$;

R_1 is C_1-C_{20} alkyl, C_2-C_{20} alkenyl or C_2-C_{20} alkynyl;

R_2 is halogen, hydroxyl, thiol, keto, carboxyl, nitro, nitroso, nitrile, trifluoromethyl, trifluoromethoxy, O-alkyl, S-alkyl, NH-alkyl, N-dialkyl, O-aryl, S-aryl, NH-aryl, O-aralkyl, S-aralkyl, NH-aralkyl, amino, imidazole, N-phthalimido, azido, hydrazino, hydroxylamino, isocyanato, sulfoxide, sulfone, sulfide, disulfide, silyl, aryl, heterocycle, carbocycle, intercalator, reporter molecule, conjugate, polyamine, polyamide, polyalkylene glycol, poly-ether, a group that enhances the pharmacodynamic properties of oligonucleotides, or a group that enhances the pharmaco-kinetic properties of oligonucleotides; T_3 and T_5 independently are OH or a further subunit of said oligomer that is joined to said structure; and n is an integer from 0 to about 6.

DETAILED DESCRIPTION OF THE INVENTION

This invention includes compounds having the structure:

I

wherein X is $R_1-(R_2)_n$;

R_1 is C_3-C_{20} alkyl, C_4-C_{20} alkenyl or C_2-C_{20} alkynyl;

R_2 is halogen, hydroxyl, thiol, keto, carboxyl, nitro, nitroso, nitrile, trifluoromethyl, trifluoromethoxy, O-alkyl, S-alkyl, NH-alkyl, N-dialkyl, O-aryl, S-aryl, NH-aryl, O-aralkyl, S-aralkyl, NH-aralkyl, amino, N-phthalimido, imidazole, azido, hydrazino, hydroxylamino, isocyanato, sulfoxide, sulfone, sulfide, disulfide, silyl, aryl, heterocycle, carbocycle, intercalator, reporter molecule, conjugate, polyamine, polyamide, polyalkylene glycol, polyether, a group that enhances the pharmacodynamic properties of oligonucleotides, or a group that enhances the pharmacokinetic properties of oligonucleotides; and n is an integer from 0 to about 6.

In other embodiments of the present invention compounds having the structure:

II

wherein X is $R_1-(R_2)_n$;

R_1 is C_3-C_{20} alkyl;

R_2 is NH_2, H-imidazole, N-phthalimido;

Y is a hydroxyl blocking group;

Z is phosphate or an activated phosphate group;

Q_1 and Q_2 independently are H or a guanosine blocking group; and n is an integer from 0 to about 6, are also provided.

In still other embodiments of the present invention compounds having the structure:


III

wherein X is R_1-$(R_2)_n$;

R_1 is C_3-C_{20} alkyl, C_4-C_{20} alkenyl or C_2-C_{20} alkynyl;

R_2 is halogen, hydroxyl, thiol, keto, carboxyl, nitro, nitroso, nitrile, trifluoromethyl, trifluoromethoxy, O-alkyl, S-alkyl, NH-alkyl, N-dialkyl, O-aryl, S-aryl, NH-aryl, O-aralkyl, S-aralkyl, NH-aralkyl, amino, imidazole, N-phthalimido, azido, hydrazino, hydroxylamino, isocyanato, sulfoxide, sulfone, sulfide, disulfide, silyl, aryl, heterocycle, carbocycle, intercalator, reporter molecule, conjugate, polyamine, polyamide, polyalkylene glycol, poly-ether, a group that enhances the pharmacodynamic properties of oligonucleotides, and a group that enhances the pharmaco-kinetic properties of oligonucleotides; and n is an integer from 0 to about 6, are provided.

Compounds of Formulas I, II and III may be prepared by alkylation effected directly on 2,6-diamino-9-(ß-D-ribofuranosyl)purine with an appropriate compound having the formula R_1-L, wherein R_1 is C_3-C_{20} alkyl, C_4-C_{20} alkenyl or C_2-C_{20} alkynyl and L is a leaving group, in the presence of a base of sufficient strength to effect removal of the proton from

the 2' or 3' (or both 2' and 3') hydroxyl of the ribofuranosyl
sugar moiety of 2,6-diamino-9-(ß-D-ribofuranosyl)purine. When
used in the general sense, the term "alkyl" or "alkylation"
is meant to refer to herein to alkyl, alkenyl and alkynyl
groups. Alkyl, alkenyl and alkynyl groups of the present
invention may be straight chain, branched or cyclic groups.

In more preferred embodiments of the present
invention R_1 is C_4-C_{20} alkyl and in still more preferred
embodiments of the present invention R_1 is C_5 to C_{20} alkyl.
Alkylation can be limited to mono alkylation by limiting the
amount of either the R_1-L group or the base to a
stoichiometric (or equivalent) amount. Alternately
dialkylation (on both the 2' and 3' positions) can be
practiced by use of an excess R_1-L group and base to
concurrently alkylate both the 2' and the 3' positions.

It has been observed that alkylation predominates
at the 2' position compared to the 3' position. Generally a
ratio of from about 7:3 to about 8:2 of 2' to 3' alkylation
products are obtained (as determined by TLC). For both TLC
as well as preparative scale chromatography, the 2' product
generally has a faster Rf than the 3' product. Advantage can
be taken of this Rf difference to separate the 2'-O- and 3'-O-
products from each other or from 2'-O-,3'-O- dialkylated
products. Thus the 2' and 3' alkylation products can be
separated by procedures such as silica gel chromatography if
desired.

For alkyl groups that are generally larger than
propyl, further advantage can be taken of the rate of
deamination of the 2' product versus the 3' product for
separation of the 2'-O and 3'-O products. Thus mixtures of
2'-O and 3'-O alkylated 2,6-diamino-9-(ß-D-ribofuranosyl)-
purine are subjected to deamination with adenosine deaminase.
The enzymatic deamination of the 2'-O product is more facile
than deamination of the 3'-O product. This difference in the
rate of deamination allows for separation of the deaminated
2' product, i.e. the 2'-O-alkylated guanosine, from the slower
or non-deaminated 3' product, i.e. the 2,6-diamino-9-(3'-O-

alkylated-ß-*D*-ribofuranosyl)purine. Additionally procedures
such as crystallization has been utilized to further separate
a 2' product from the corresponding 3' product by separating
the 2'-*O*-alkylated diaminopurine riboside product from the
corresponding 3'-*O*-alkylated diaminopurine riboside product.

A preferred base utilized for alkylation is sodium
hydride. Other suitable bases may also be utilized, however
such bases must have sufficient base strength to remove the
proton from the 2' (or 3') hydroxyl moiety of the 2,6-diamino-
purine riboside starting material. While not wishing to be
bound by theory, generally any base having a pK_a about 10 pk_a
units greater than the pK_a of the proton of the 2' hydroxyl
moiety of the 2,6-diaminopurine riboside starting material may
be used. More specifically, bases having a pK_b greater than
the pK_b of sodium hydride may conveniently be selected. Such
bases can be selected from compilations of base such as those
given in Table 1, page 220 of March, J. *Advanced Organic
Chemistry*, Wiley-Interscience, John Wiley & Sons, New York,
1985.

The alkylation reactions useful to prepare compounds
of the invention typically are conducted in DMF as the
solvent. Other suitable solvents include DMSO, N-methyl
pyrolidone and sulfolone.

Preferably, deamination is effected by use of
deaminase enzymes. Particularly preferred is adenosine
deaminase. Particularly suitable for use is Adenosine
Deaminase Type II available from Sigma Chemical Company, St.
Louis, MO. Other deamination reagents may also be employed.
The deamination reactions of the invention typically are
conducted in a mixture solvent containing an organic solvent
and an aqueous buffer. Suitable for use as the organic
solvent are DMSO, N-methyl pyrolidone and sulfolone. In
preferred embodiments of the present invention deamination is
achieved using DMSO as the organic solvent. Suitable for use
as the aqueous buffer are buffers having a pH compatible to
the pH range of use of the deaminse enzyme. Preferred are
phosphate buffers such as sodium phosphate and tris buffers.

In order to enrich the 2' product verse 3' product by elimination of any 3' product, a TIPDS (tetraisopropylsiloxane) protecting group is utilized to protect the 3' and 5' hydroxyl moieties of the sugar portions of the 2,6-diaminopurine riboside. In the same manner, exclusive 3' product would be obtainable by use of a base stable, non-migratory 2'-O-protecting group. Such base stable, non-migratory protecting groups include but are not limited to tetrahydropyranyl (THP), 4-methoxytetrahydropyran-4-yl (Mthp), 1-[(2-chloro-4-methyl)phenyl-4-methoxypiperidin-4-yl (Ctmp), triphenylmethyl (trityl), mono-, di- and tri-methoxytrityl and other similar protecting groups.

Suitable leaving groups of the present invention include halides such as chloride, bromide, and iodide, sulfonates such as tosyl, brosyl, nosyl, mesyl and trifyl and oxonium ions. In preferred embodiments of the present invention the leaving group is a halide. Still other suitable leaving groups are well known to those skilled in the art.

The 3'-O-phosphoramidite of 2'-O-alkyl guanosine and 2,6-diamino-9-(2'-O-alkyl-β-D-ribofuranosyl) purine are provided in the present invention by reaction of 2NH$_2$, 5'-OH protected 2'-O-alkyl guanosine or 2NH$_2$, 6NH$_2$, and 5'-OH protected 2,6-diamino-9-(2'-O-alkyl-β-D-ribofuranosyl) purine with a reagent such as 2-cyanoethyl N,N-diisopropylamino-chlorophosphine.

2'-O-alkyl guanosine and 2'-O-alkyl-2,6-diaminopurine riboside are phosphitylated at the 3'-OH to provide phosphoramidites. In conducting such phosphitylation the NH$_2$ moieties (2NH$_2$ or 2NH$_2$ and 6NH$_2$, respectively) are protected. Next the 5'-OH moiety is protected followed by reaction with cyanoethyl N,N-diisopropyl aminochlorophosphine.

Compounds of the present invention can be incorporated into oligomers by procedures known to those skilled in the art. Oligomers of the present invention may contain at least one subunit having the structure:

wherein X is R_1-$(R_2)_n$;

R_1 is C_3-C_{20} alkyl, C_4-C_{20} alkenyl C_2-C_{20} alkynyl;

R_2 is halogen, hydroxyl, thiol, keto, carboxyl, nitro, nitroso, nitrile, trifluoromethyl, trifluoromethoxy, O-alkyl, S-alkyl, NH-alkyl, N-dialkyl, O-aryl, S-aryl, NH-aryl, O-aralkyl, S-aralkyl, NH-aralkyl, amino, imidazole, N-phthalimido, azido, hydrazino, hydroxylamino, isocyanato, sulfoxide, sulfone, sulfide, disulfide, silyl, aryl, heterocycle, carbocycle, intercalator, reporter molecule, conjugate, polyamine, polyamide, polyalkylene glycol, polyether, a group that enhances the pharmacodynamic properties of oligonucleotides, or a group that enhances the pharmacokinetic properties of oligonucleotides;

T_3 and T_5 independently are OH or a further nucleotide or nucleoside of said oligonucleotide or oligonucleoside that is joined to said structure; and

n is an integer from 0 to about 6.

In still other embodiments of the present invention oligomers may contain at least one subunit having the structure:

wherein X is R_1-$(R_2)_n$;

R_1 is C_1-C_{20} alkyl, C_2-C_{20} alkenyl C_2-C_{20} alkynyl;

R_2 is halogen, hydroxyl, thiol, keto, carboxyl,

nitro, nitroso, nitrile, trifluoromethyl, trifluoromethoxy, O-alkyl, S-alkyl, NH-alkyl, N-dialkyl, O-aryl, S-aryl, NH-aryl, O-aralkyl, S-aralkyl, NH-aralkyl, amino, imidazole, N-phthalimido, azido, hydrazino, hydroxylamino, isocyanato, sulfoxide, sulfone, sulfide, disulfide, silyl, aryl, heterocycle, carbocycle, intercalator, reporter molecule, conjugate, polyamine, polyamide, polyalkylene glycol, poly-ether, a group that enhances the pharmacodynamic properties of oligonucleotides, or a group that enhances the pharmaco-kinetic properties of oligonucleotides;

T_3 and T_5 independently are OH or a further nucleotide or nucleoside of said oligonucleotide or oligonucleoside that is joined to said structure; and

n is an integer from 0 to about 6.

Such oligomers or oligonucleotides may be prepared by solid state synthesis or by other means known to those skilled in the art. For example, 2'-O-alkyl guanosine phosphoramidites and derivatives thereof may be incorporated into oligonucleotides using standard phosphoramidite chemistry. Incorporation of 2'-O-alkyl guanosine nucleotides will confer desireable characteristics to an oligonucleotide such as enhanced resistance to nuclease.

In the context of this invention, the term "oligonucleotide" or "oligomer" refers to a polynucleotide formed from naturally occuring bases and furanosyl groups joined by native phosphodiester bonds. Oligonucleotides of the present invention will, of course, comprise at least one 2'-O-alkyl guanosine or derivative thereof. Thus, this term effectively refers to naturally occurring species or synthetic species formed from naturally occurring subunits or their close homologs. The term "oligonucleotide" or "oligomer" may also refer to moieties which have portions similar to naturally occurring oligonucleotides but which have non-naturally occurring portions. Thus, oligonucleotides may have altered sugars, altered base moieties, or altered inter-sugar linkages. Exemplary among these are the phosphorothioate and other sulfur-containing species which are known for use in the

art. In accordance with some preferred embodiments, at least some of the phosphodiester bonds of the oligonucleotide have been substituted with a structure which functions to enhance the stability of the oligonucleotide or the ability of the oligonucleotide to penetrate into the region of cells where the messenger RNA is located. It is preferred that such substitutions comprise phosphorothioate bonds, phosphotriesters, methyl phosphonate bonds, short chain alkyl or cycloalkyl structures or short chain heteroatomic or heterocyclic structures. Other preferred substitutions are $CH_2-NH-O-CH_2$, $CH_2-N(CH_3)-O-CH_2$, $CH_2-O-N(CH_3)-CH_2$, $CH_2-N(CH_3)-N(CH_3)-CH_2$ and $O-N(CH_3)-CH_2-CH_2$ structures where phosphodiester intersugar linkage is replaced by the substitutions. Also preferred are morpholino structures. Summerton, J.E. and Weller, D.D., U.S. 5,034,506 issued July 23, 1991. In other preferred embodiments, such as the protein-nucleic acid (PNA) backbone, the phosphodiester backbone of the oligonucleotide may be replace with a polyamide backbone, the bases being bound directly or indirectly to the aza nitrogen atoms of the polyamide backbone. P.E. Nielsen, et al., *Science* 1991 *254* 1497. In accordance with other preferred embodiments, the phosphodiester bonds are substituted with other structures which are, at once, substantially non-ionic and non-chiral, or with structures which are chiral and enantiomerically specific. Persons of ordinary skill in the art will be able to select other linkages for use in practice of the invention.

Oligonucleotides may also include species which include at least some modified base forms. Thus, purines and pyrimidines other than those normally found in nature may be so employed. Suitable bases include, but are not limited to those described in U.S. Patent 3,687,808. Similarly, modifications on the furanosyl portion of the nucleotide subunits, in addition to 2'-O-alkyl modifications of the present invention, may also be effected, as long as the essential tenets of this invention are adhered to. Examples of such modifications are 2'-halogen-substituted nucleotides. Some specific examples of modifications at the 2' position of

sugar moieties which are useful in the present invention are OH, SH, SCH_3, F, OCN, $O(CH_2)_nNH_2$, Cl, Br, CN, CF_3, OCF_3, S- or N- alkyl; S- or N-alkenyl; $SOCH_3$, SO_2CH_3; ONO_2; NO_2; N_3; NH_2; heterocycloalkyl; heterocycloalkaryl; aminoalkylamino; polyalkylamino; substituted silyl; an RNA cleaving group; a conjugate; a reporter group; an intercalator; a group for improving the pharmacokinetic properties of an oligonucleotide; or a group for improving the pharmacodynamic properties of an oligonucleotide and other substituents having similar properties. Sugar mimetics such as cyclobutyls may also be used in place of the pentofuranosyl group. Oligonucleotides may also comprise other modifications consistent with the spirit of this invention. Such oligonucleotides are best described as being functionally interchangeable with yet structurally distinct from natural oligonucleotides. All such oligonucleotides are comprehended by this invention so long as they effectively function as subunits in the oligonucleotide.

Preferably oligonucleotides of the present invention are from about 6 to about 50 nucleotides in length. In still more preferred embodiments of the present invention oligonucleotides are from about 12 to about 20 nucleotides in length.

Intercalators are molecules which insert themselves between neighboring bases of an oligonucleotide. A well known intercalator is acridine. Other intercalators will be apparent to one skilled in the art. Reporter molecules are molecules which may aid in the identification of a molecule, either visually or otherwise. For example, biotin and various fluorophores are effective reporter groups. Conjugates, or bifunctional linkers effectively join two groups. Some conjugates are commercially available such as biotin or 3' maleimidobenzoyl-N-hydroxy-succinimide available from Boehringer Mannheim (Indianapolis, Indiana). Pharmacodymanic property improvement means, in this context, improved oligonucleotide uptake, enhanced oligonucleotide resistance to degradation, and/or strengthened sequence-specific

hybridization with RNA. Such groups do not initiate chemical reactions. Groups that enhance the pharmacodynamic properties of an oligonucleotide preferrably include alkyl chains, polyamines, ethylene glycols, polyamides, alkyl chains, aminoalkyl chains and amphipathic moieties. Pharmacokinetic property improvement means improved oligonucleotide uptake, distribution, metabolism or excretion.

Antisense therapy involves the use of oligonucleotides which are specifically hybridizable to target RNA or DNA. Oligonucleotides of the present invention are preferably specifically hydridizable with a target region. By "specifically hybridizable" herein is meant capable of forming a stable duplex with a target DNA or RNA. Upon binding to, or forming a stable duplex with, the target RNA or DNA, the antisense oligonucleotide can selectively inhibit the genetic expression of these nucleic acids or can induce some other events such as destruction of a targeted RNA or DNA or activation of gene expression. Destruction of targeted RNA can be effected by RNase H activation or by linking strand cleavers to the oligonucleotide. Antisense therapy is known in the art. See for example, PCT/US91/05720 filed December 3, 1991 entitled "Antisense Oligonucleotide Inhibitors of Papillomavirus" and PCT/US91/01327 filed February 25, 1991 entitled "Oligonucleotide Therapies for Modulating the Effects of Herpesvirus".

In some embodiments of the present invention the oligonucleotide portions of compounds of the present invention are at least 60% complementary to a target sequence. In preferred embodiments of the present invention the oligonucleotide portions of compounds of the present invention are at least 80% complementary to a target sequence. 100% complementarity of the oligonucleotide portions of compounds of the present invention to a target sequence is most preferred. In preferred embodiments of the present invention, the oligonucleotide portions may be specifically hybridizable with DNA or RNA from *Candida*, papilloma virus, Epstein Barr virus, rhinovirus, hepatitis, human immunodeficiency virus,

herpes simplex virus, influenza virus and cytomegalovirus.

2-O-alkyl guanosine containing oligonucleotides of the present invention may be used to modulate the production of protein by contacting a selected sequence of RNA or DNA coding for a selected protein with an 2'-O-alkyl guanosine containing oligonucleotide of the present invention having a sequence of nucleotide bases specifically hybridizable with said selected sequence of RNA or DNA coding for said protein.

The oligonucleotides of the present invention can be used in diagnostics, therapeutics and as research reagents. For therapeutic use, an animal having a disease characterized by the undesired production of a protein is contacted with an oligonucleotide of the present invention having a sequence of nucleotide bases specifically hybridizable with a selected sequence of RNA or DNA coding for said protein.

EXAMPLES

The following examples illustrate the invention, however, they are not intended as being limiting.

EXAMPLE 1
2,6-Diamino-9-(ß-D-ribofuranosyl)purine

In accordance with modifications of the procedures described in Robins, M.J., Hanske, F. and Beriner, S.E., *Can. J. Chem.*, 59:3360 (1981), guanosine hydrate (49 g, Aldrich Chemical Co.), toluene (200 ml), hexamethyldisilazane (160 ml, 4.3 eq) and trifluoromethanesulfonic acid (3.7 ml) were loaded in a stainless steel Parr bomb. The bomb was sealed and heated approximately 1/3 submerged in an oil bath at 170° C for 5 days. The bomb was cooled in a dry ice acetone bath and opened. The contents were transferred to a 2 liter round bottom flask using methanol (MeOH) and the solvent evaporated on a Buchii evaporator. 1:1 H_2O/MeOH (600 ml) was added to the residue and the resulting brown suspension was refluxed 4-5 hr. The resulting suspension was evaporated on the Buchii evaporator to remove the methanol (≈ 1/2 volume). Additional H_2O (≈300 ml) was added and the mixture was heated, treated

with charcoal and filtered through a Celite filter pad. Upon cooling, a crystalline solid formed. The solid was isolated by filtration, washed with H_2O and dried under high vacuum at 90° C to yield the product (43.7 g, 89% yield) as a tan solid. UV and NMR spectra of this compound compared to literature values.

This variation of the procedures of Robins, et al. *supra*, eliminated the need to utilize liquid ammonia in the reaction mixture since the ammonia molecule is generation *in situ* from the silazane reagent and the water of hydration of the guanosine hydrate starting material. Further, the use of chlorotrimethylsilane was not necessary nor was it necessary to conduct the reaction under anhydrous conditions, do a preliminary evaportaion, or open and re-seal the Parr bomb under a dry nitrogen atmosphere.

EXAMPLE 2

2,6-Diamino-9-(2-O-propyl-ß-D-ribofuranosyl)purine & 2,6-Diamino-9-(3-O-propyl-ß-D-ribofuranosyl)purine

Sodium hydride (NaH) (2.1 g) was added to 2,6-diamino-9-(ß-D-ribofuranosyl) purine (10.5 g) in dry dimethyl-formamide (DMF) (150 ml). After stirring for 10 min, iodo-propane (6 ml) was added. The solution was stirred for 45 min at room temperature followed by the addition of a further aliquot of NaH (600 mg). The reaction mixture was stirred overnight and then quenched by the addition of ethanol (EtOH) (5 ml). The reaction mixture was evaporated in vacuo, the residue suspended in 10% MeOH/CH_2CL_2 and purified by silica gel chromatography (300 g) using 5 → 10% MeOH/CH_2Cl_2 as the eluent. The 2',3'-di-O-propyl product eluted first followed by the 2'-O-propyl product and then the 3'-O-propyl product. The 2'-O-propyl product containing fractions were pooled and the solvent stripped to yield a crude foam. The foam was crystallized from H_2O (40 ml), washed with cold H_2O and dried to yield 2.9 g of the 2'-O-propyl compound. The mother liquor was evaporated, re-chromatographed and crystallized to yield an additional 2.4 g of the 2'-O-propyl compound. The second

mother liquor was evaporated to yield 4 g of a mixture of 2'
and 3'-O-propyl compounds as an oil. Fractions containing the
3'-O-propyl product as the major product were evaporated and
residue foam crystallized from water. (See Example 17 below
for isolation and characterization of the 2',3'-di-O-propyl
compound).

2,6-Diamino-9-(2-O-propyl-ß-D-ribofuranosyl)purine

^{1}H NMR (DMSO-$\underline{d}_6$) δ 0.76 (t, 3, C$\underline{H}_3$), 1.4 (tq, 2, C$\underline{H}_2$), 3.3 (m,
1, $\underline{H}$-5'' + HDO), 3.65-3.45 (m, 3, $\underline{H}$-5', O-C$\underline{H}_2$), 3.9 (m, 1),
4.25 (br m, 1), 4.38 (dd, 1), 5.1 (br d, 1 3'-O$\underline{H}$), 5.45 (br
t, 1, 5'-OH), 5.75 (br s, 2, 6-N$\underline{H}_2$), 5.83 (d, 1, $\underline{H}$-1'), 6.77
(br s, 2, 2-N$\underline{H}_2$) and 7.95 (s, 1, $\underline{H}$-8). Anal. Calcd. for
$C_{13}H_{20}N_6O_4 \cdot \frac{1}{2}H_2O$: C, 46.91; H, 6.2; N,25.25. Found: C, 47.09; H,
6.37; N, 25.33.

2,6-Diamino-9-(3-O-propyl-ß-D-ribofuranosyl)purine

^{1}H NMR (DMSO-$\underline{d}_6$) δ 0.75 (t, 3, C$\underline{H}_3$), 1.4 (tq, 2, C$\underline{H}_2$), 3.27-3.5
(ABX 2, O-C$\underline{H}_2$-), 3.5 and 3.6 (ABX, 2, $\underline{H}$-5'), 3.9 (m,1), 4.22
(m, 1), 4.35 (m, 1), 5.1 (br d, 1, 2'-O$\underline{H}$), 5.45 (br t, 1, 5'-
O$\underline{H}$), 5.75 (br s, 2, 6-N$\underline{H}_2$), 5.8 (d, 1, $\underline{H}$-1'), 6.8 (br s, 2, 2-
$\underline{H}_2$) and 7.95 (s, 1, $\underline{H}$-8).

EXAMPLE 3

2'-O-Propylguanosine

A mixture of 2,6-Diamino-9-(2'-O-propyl-β-D-ribo-
furanosyl) purine and 2,6-Diamino-9-(3'-O-propyl-β-D-ribo-
furanosyl) purine (4.6 gm) and adenosine deaminase (200 mg,
Sigma Chemicals Type II) were stirred at room temperature
overnight in 0.1 M tris buffer (150 ml, pH 7.4), DMSO (100 ml)
and 0.1 M sodium phosphate buffer (10 ml). A further aliquot
of adenosine deaminase (140 mg) in 0.1 M phosphate buffer (30
ml) and DMSO (20 ml) was added and the reaction stirred an
addition 24 hrs. The solvent was evaporated <u>in vacuo</u> and the
residue flash chromatographed on silica gel utilizing 5 → 20%
MeOH/CH$_2$Cl$_2$. Product-containing fractions were evaporated <u>in</u>
<u>vacuo</u> and the residue crystallized from H$_2$O to yield 2.6 gm of
product. m.p. dec > 270° C. ^{1}H NMR (DMSO-$\underline{d}_6$) δ 0.75 (t, 3,
C$\underline{H}_3$), 1.42 (tq, 2, C$\underline{H}_2$), 3.3-3.6 (m, 4, $\underline{H}$-5', O-C$\underline{H}_2$), 3,85 (m,

1), 4.2 (m, 1), 4.23 (m, 1), 5.10 (t, 1, 5'-O$\underline{H}$), 5.13 (d, 1, 3'-O$\underline{H}$), 5.75 (d, 1, $\underline{H}$-1'), 6.45 (br s, 2, N$\underline{H}_2$), 7.95 (s, 1, $\underline{H}$-8) and 10.67 (br s, 1, N$\underline{H}$). Anal. Calcd. for $C_{13}H_{19}N_5O_5$: C, 47.99; H, 5.89; N, 21.53. Found: C, 47.90, H, 5.85; N, 21.44.

EXAMPLE 4
N2-Isobutyryl-2'-O-propylguanosine

2'-O-Propylguanosine (3.6 gm) in pyridine (50 ml) was cooled in an ice bath and trimethylsilyl chloride (8.4 ml, 6 eq.) was added. The reaction mixture was stirred for 30 min and isobutyryl chloride (5.8 ml, 5 eq.) was added. The solution was stirred for 4 hours during which it was allowed to warm to room temperature. The solution was cooled, H_2O added (10 ml) and the solution was stirred for an additional 30 mins. Concentrated NH_4OH (10 ml) was added and the solution evaporated <u>in vacuo</u>. The residue was purified by silica gel chromatography using 10% MeOH/CH_2CL_2 to elute the product. Product-containing fractions were evaporated to yield 2.5 g of product as a foam. An analytical sample was re-chromatographed on silica and eluted with $CH_2Cl_2 \rightarrow 6\%$ MeOH/CH_2Cl_2. ^1H NMR (DMSO-$\underline{d}_6$) δ 0.75 (t, 3, C$\underline{H}_3$), 1.13 [d, 6, CH(C$\underline{H}_3$)$_2$], 1.4 (m, 2, C$\underline{H}_2$), 2.75 [m, 1, C$\underline{H}$(CH$_3$)$_2$], 3.52 (m, 6, OC$\underline{H}_2$), 3.36 and 3.6 (ABX, 2, $\underline{H}$-5'), 3.95 (m, 1), 4.26 (m, 1), 4.33 (m, 1), 5.07 (t, 1, 5'-O$\underline{H}$), 5.18 (d, 1, 3'-O$\underline{H}$), 5.9 (d, 1, $\underline{H}$-1'), 8.25 (s, 1, $\underline{H}$-8), 11.65 (br s, 1, N$\underline{H}$) and 12.1 (br s, 1, N$\underline{H}$). Anal. Calcd. for $C_{17}H_{25}N_5O_6 \cdot \frac{1}{2}H_2O$: C, 50.49; H, 6.48; N, 17.32. Found: C, 50.81; H, 6.62; N, 17.04.

EXAMPLE 5
N2-Isobutyryl-5'-dimethoxytrityl-2'-O-propylguanosine

N2-Isobutyryl-2'-O-propylguanosine (2.64 g) was co-evaporated with pyridine and then solubilized in pyridine (180 ml). Dimethoxytrityl chloride (2.4 g, 1.1 eq) and dimethyl-aminopyridine (50mg) was added with stirring at room temperature. The reaction mixture was stirred overnight and evaporated <u>in vacuo</u>. The residue was partitioned between CH_2Cl_2/ 2x dil Na_2CO_3. The organic phase was dried (MgSO$_4$) and

evaporated. The residue was purified by silica gel chroma-
tography (1:1 EtOAc/Hex → 5% MeOH/EtOAc, 1% TEA) to yield 4.1
g of product. ^{1}H NMR (DMSO-$\underline{d}_6$) δ 0.78 (t, 3, C$\underline{H}_3$), 1.12 [d,
6, CH(C$\underline{H}_3$)$_2$], 1.46 (m, 2, C$\underline{H}_2$), 2.75 [m, 1, C$\underline{H}$(CH$_3$)$_2$], 3.35 and
3.55 (ABX, 2, $\underline{H}$-5′), 3.73 (s, 6, OC$\underline{H}_2$), 4.0 (m, 1), 4.3 (m,
1), 4.4 (m, 1), 5.18 (d, 1, 3′-O$\underline{H}$), 5.93 (d, 1, $\underline{H}$-1′), 6.8,
7.2, 7.36 (m, 13, DMTr), 8.13 (s, 1, $\underline{H}$-8), 11.63 (br s, 1, N$\underline{H}$)
and 12.1 (br s, 1, N$\underline{H}$). Anal. Calcd. for $C_{38}H_{42}N_5O_8 \cdot H_2O$: C,
63.83; H, 6.20; N, 9.80. Found: C, 64.22; H, 6.35; N, 9.55.

EXAMPLE 6

**N2-Isobutyryl-5′-dimethoxytrityl-2′-O-propylguanosine 3′-ß-
cyanoethyl-N,N-diisopropylphosphoramidate**

A CH$_2$Cl$_2$ solution of N2-Isobutyryl-5′-dimethoxy-
trityl-2′-O-propylguanosine (4.1 g), bis-(N,N-diisopropyl-
amino)-2-cyanoethylphosphite (3.7 ml, 2 eq) and N,N-diiso-
propylammonium tetrazolide (0.5 g, 0.5 eq) was stirred at room
temperature overnight. The solution was partitioned against
dil. Na$_2$CO$_3$ and then dil. Na$_2$CO$_3$/NaCl and dried over MgSO$_4$. The
solvent was evaporated <u>in vacuo</u> and the residue was purified
by silica gel chromatograph (120 g, 1%TEA in EtOAc) to yield
5.2 g of product as a foam. ^{31}P NMR (CDCl$_3$) δ 150.5, 150.8.

EXAMPLE 7

**2,6-Diamino-9-(2-O-pentyl-ß-D-ribofuranosyl)purine & 2,6-
Diamino-9-(3-O-pentyl-ß-D-ribofuranosyl)purine**

2,6-Diamino-9-(ß-D-ribofuranosyl)purine (10 g) was
treated with sodium hydride (1.7 g, 1.2 eq) and bromopentane
(5.3 ml, 1.2 eq) in DMF (90 ml) as per the procedure of
Example 2.   Silica gel chromatography yielded three
components. The first eluted component (not characterized but
believed to be the 2,3-di-(O-pentyl) compound was isolated as
an oil (700 mg). The next component isolated as a foam (3.3
g) was crystallized from MeOH to yield of 2.8 g of 2,6-
diamino-9-(2-O-pentyl-ß-D-ribofuranosyl)purine. The third
component isolated as a solid (200 mg) was crystallized from
MeOH to yield 80 mg of 2,6-diamino-9-(3-O-pentyl-ß-D-ribofur-

anosyl)purine. Fractions containing mixtures of the first and second components were evaporated and the residue crystallized from MeOH to yield a further 900 mg of the 2-O-pentyl compound. Further fraction yielded 1.2 g of a mixture of the 2'-O-pentyl and 3'-O-pentyl compounds.

2,6-Diamino-9-(2-O-pentyl-ß-D-ribofuranosyl)purine

^{1}H NMR (DMSO-$\underline{d}_6$) δ 0.75 (t, 3, C$\underline{H}_3$), 1.16 (m, 4, C$\underline{H}_2$), 1.39 (m, 2, C$\underline{H}_2$), 3.53 (m, 2, C$\underline{H}_2$), 3.3 and 3.6 (ABX, 2, $\underline{H}$-5'), 3.93 (br s, 1), 4.23 (m, 1), 4.38 (m, 1), 5.1 (d, 1 3'-O$\underline{H}$), 5.5 (t, 1, 5'-OH), 5.75 (br s, 2, 6-N$\underline{H}_2$), 5.82 (d, 1, $\underline{H}$-1'), 6.8 (br s, 2, 2-N$\underline{H}_2$) and 7.93 (s, 1, $\underline{H}$-8).

2,6-Diamino-9-(3-O-pentyl-ß-D-ribofuranosyl)purine

^{1}H NMR (DMSO-$\underline{d}_6$) δ 0.87 (t, 3, C$\underline{H}_3$), 1.3 (m, 4, C$\underline{H}_2$), 1.55 (m, 2, C$\underline{H}_2$), 3.5 (m, 2, O-C$\underline{H}_2$-), 3.6 (m, 2, $\underline{H}$-5'), 3.86 (m, 1), 3.95 (m, 1), 4.6 (m, 1), 5.32 (br d, 1 2'-O$\underline{H}$), 5.46 (br t, 1, 5'-OH), 5.70 (d, 1, $\underline{H}$-1'), 5.75 (br s, 2, 6-N$\underline{H}_2$), 6.76 (br s, 2, 2-N$\underline{H}_2$) and 7.93 (s, 1, $\underline{H}$-8).

EXAMPLE 8

2'-O-Pentylguanosine

2,6-diamino-9-(2-O-pentyl-ß-D-ribofuranosyl)purine (1.9 g) in 0.1 M sodium phosphate buffer (50 ml, pH 6.0) and DMSO (25 ml) was treated with adenosine deaminase (added in two aliquots - first aliquot 50 mg, second aliquot 80 mg) at 35° C as per the procedure of Example 3 to yield 1.4 g of product. ^{1}H NMR (DMSO-$\underline{d}_6$) δ 0.8 (t, 3, C$\underline{H}_3$), 1.16 (m, 4, 2x C$\underline{H}_2$), 1.4 (m, 2, C$\underline{H}_2$), 3.38, 3.6 (m, 4, OC$\underline{H}_2$, $\underline{H}$-5'), 3.93 (s, 1, $\underline{H}$-4'), 4.28 (m, 2, $\underline{H}$-2', $\underline{H}$-3'), 5.17 (br, 2, 5', 3'-O$\underline{H}$), 5.8 (d, 1, $\underline{H}$-1'), 6.53 (br s, 2, N$\underline{H}_2$), 8.0 (s, 1, $\underline{H}$-8) and 10.68 (br, 1, N$\underline{H}$).

EXAMPLE 9

N2-Isobutyryl-2'-O-pentylguanosine

2'-O-pentylguanosine (2.3 g) in pyridine (35 ml) was treated with trimethylsilyl chloride (4.15 ml, 5 eq) and isobutyryl chloride (3.4 ml, 5 eq) as per the procedure of Example 4 to yield the product as a foam (2.3 g). An

analytical sample was crystallized from EtOAc/Hex. m.p. 178-180° C. ^{1}H NMR (DMSO-$\underline{d}_6$) δ 0.75 (t, 3, C$\underline{H}_3$), 1.1 [m, 10, 2x C$\underline{H}_2$, CH(C$\underline{H}_3$)$_2$], 1.4 (m, 2, C$\underline{H}_2$), 2.74 [m, 1, C$\underline{H}$(CH$_3$)$_2$], 3.56 (m, 4, OC$\underline{H}_2$, $\underline{H}$-5'), 3.93 (m, 1, $\underline{H}$-4'), 4.25 (m, 1), 4.34 (m, 1), 5.05 (t, 1, 5'-O$\underline{H}$), 5.17 (d, 1, 3'-O$\underline{H}$), 5.88 (d, 1, $\underline{H}$-1'), 8.27 (s, 1, $\underline{H}$-8), 11.65 (br s, 1, N$\underline{H}$) and 12.05 (br s, 1, N$\underline{H}$). Anal. Calcd. for $C_{19}H_{29}N_5O_6$: C, 53.89; H, 6.90; N, 16.54. Found: 53.75; H, 6.92; N, 16.40

EXAMPLE 10

N2-Isobutyryl-5'-dimethoxytrityl-2'-O-pentylguanosine

N2-Isobutyryl-2'-O-pentylguanosine (2.3 g) was treated with dimethoxytrityl chloride (1.7 g, 1.1 eq), and dimethyl-aminopyridine (100 mg as a catalyst) in pyridine (50 ml) as per the procedure of Example 5 to yield the product as a foam (2.9 g). ^{1}H NMR (DMSO-$\underline{d}_6$) δ 0.83 (t, 3, C$\underline{H}_3$), 1.2 [m, 10, 2x C$\underline{H}_2$, CH(C$\underline{H}_3$)$_2$], 1.48 (m, 2, C$\underline{H}_2$), 2.78 [m, 1, C$\underline{H}$(CH$_3$)$_2$], 3.4, 3.6 (m, 4, OC$\underline{H}_2$, $\underline{H}$-5'), 3.75 (s, 6, OC$\underline{H}_3$), 4.07 (m, 1), 4.27 (m, 1), 4.42 (m, 1), 5.2 (br d, 1, 3'-O$\underline{H}$), 5.95 (d, 1, $\underline{H}$-1'), 6.85, 7.25, 7.38 (m, 13, DMTr), 8.15 (s, 1, $\underline{H}$-8), 11.67 (br s, 1, N$\underline{H}$) and 12.1 (br s, 1, N$\underline{H}$). Anal. Calcd. for Anal. Calcd. for $C_{40}H_{47}N_5O_8 \cdot \frac{1}{2}H_2O$: C, 65.38; H, 6.58; N, 9.53. Found: C, 65.37; H, 6.59; N, 9.39.

EXAMPLE 11

N2-Isobutyryl-5'-dimethoxytrityl-2'-O-pentylguanosine 3'-ß-cyanoethyl-N,N-diisopropylphosphoramidate

N2-Isobutyryl-5'-dimethoxytrityl-2'-O-pentyl-guanosine (1.7 g) was treated with bis-(N,N-diisopropylamino)-2-cyanoethyl-phosphite (1.48 g) and N,N-diisopropylammonium tetrazolide (200 mg) as per the procedure of Example 6 to yield the product (1.4 g). ^{31}P NMR (CDCl$_3$) δ 150.5, 150.85.

EXAMPLE 12

2,6-Diamino-9-(2-O-nonyl-ß-D-ribofuranosyl)purine

2,6-Diamino-9-(ß-D-ribofuranosyl)purine (50 g, 180 mmol) was treated with sodium hydride (8.8 g, 220 mmol) and

bromononane (59 g, 54.4 ml, 285 mmol) in DMF (700 ml) as per
the procedure of Example 2 (the diamino compound in DMF was
cooled in an ice bath during the addition of NaH) to yield 83
g of crude product.   50 g of crude product was purified by
silica gel chromatography. Fraction containing 2'-O-nonyl and
3'-O-nonyl product were combined to give a 77:23 mixture (29
g) of the 2' and 3' product.   Pure 2'-O-nonyl product is
obtained by chromatography. ^{1}H NMR (DMSO-$\underline{d}_6$) δ 0.95 (t, 3,
C$\underline{H}_3$);   1.17   [m,   12,   O-CH$_2$-CH$_2$-(C$\underline{H}_2$)$_6$];   1.42   [m,   2,   O-
CH$_2$C$\underline{H}_2$(CH$_2$)$_6$]; 3.27-3.70 (m, 2, $\underline{H}$-5'); 3.50-3.70 [m, 2, O-
C$\underline{H}_2$(CH$_2$)$_7$]; 3.95 (m, 1, $\underline{H}$-4'), 4.24 (m, 1, $\underline{H}$-3'); 4.40 (m, 1,
$\underline{H}$-2'); 5.10 (d, 1, 3'-O$\underline{H}$, J= 5 Hz); 5.50 (t, 1, 5'-O$\underline{H}$, J= 6
Hz); 5.76 (s, 2, 2-N$\underline{H}_2$); 5.83 (d, 1, $\underline{H}$-1', J= 6.0 Hz); 6.81
(s, 2, 6-N$\underline{H}_2$); and 7.96 (s, 1, 8-$\underline{H}$).

EXAMPLE 13

2'-O-Nonylguanosine

A   mixture   of   2,6-diamino-9-(2-O-nonyl-ß-D-ribo-
furanosyl)purine   and   2,6-diamino-9-(3-O-nonyl-ß-D-ribo-
furanosyl)purine (~ 80:20 mixture, 29 g) in 0.1 M sodium
phosphate buffer (50 ml, pH 7.4), 0.1 M tris buffer (1800 ml,
pH 7.4) and DMSO (1080 ml) was treated with adenosine
deaminase (1.6 g) as per the procedure of Example 3 to yield
60 g of product as an oil. An analytical product was purified
by silica gel chromatography and recrystallized from EtOAc.
m.p. 258-259° C. ^{1}H NMR (DMSO-$\underline{d}_6$) δ 0.96 (t, 3, C$\underline{H}_3$, J= 7 Hz);
1.17   [m,   12,   O-CH$_2$-CH$_2$-(C$\underline{H}_2$)$_6$];   1.42   [m,   2,   O-CH$_2$C$\underline{H}_2$(CH$_2$)$_6$];
3.27-3.61 (m, 4, $\underline{H}$-5', O-C$\underline{H}_2$(CH$_2$)$_7$); 3.95 (m, 1, $\underline{H}$-4'), 4.10-
4.13 (m, 2, $\underline{H}$-2', $\underline{H}$-3'); 5.13-6.06 (m, 2, 3'-O$\underline{H}$ 5'-O$\underline{H}$); 5.80
(d, 1, $\underline{H}$-1', J= 6.4 Hz); 6.47 (s, 2, 2-N$\underline{H}_2$); 7.98 (s, 1, 8-$\underline{H}$)
and 10.64 (s, 1, N$_1$ amide).   Anal. Calcd. for C$_{19}$H$_{31}$N$_5$O$_5$: C,
55.73; H, 7.63; N, 17.10. Found: C, 55.67; H, 7.66; N, 17.02.

EXAMPLE 14

N2-Isobutyryl-2'-O-nonylguanosine

2'-O-nonylguanosine (14.7 g) in pyridine (360 ml)
was   treated   with   trimethylsilyl   chloride   (23.4   ml)   and

isobutyryl chloride (30.6 ml) as per the procedure of Example 4 to yield crude product (37 g). The crude material was purified by silica gel chromatography (eluted with 90/10 $CHCl_3$/MeOH) to yield 14.6 g of product re-crystallized from EtOAc. m.p. 168-169° C. ^1H NMR (DMSO-$\underline{d}_6$) δ 0.85 [t, 3, C$\underline{H}_3$(nonyl)], 1.14 [m, 18, O-CH_2CH_2(C$\underline{H}_2$)$_6$, CH(C$\underline{H}_3$)$_2$], 1.40 [m, 2, O-CH_2C$\underline{H}_2$(CH$_2$)$_6$], 2.79 [m, 1, C$\underline{H}$(CH$_3$)$_2$], 3.31-3.63 (m, 4, $\underline{H}$-5', O-C$\underline{H}_2$(CH$_2$)$_7$]; 3.96 (m, 1, $\underline{H}$-4'), 4.27-4.37 (m, 2, $\underline{H}$-2', $\underline{H}$-3'); 5.10 (t, 1, 5'-O$\underline{H}$, J= 5 Hz), 5.18 (d, 1, 3'-O$\underline{H}$, J= 4 Hz), 5.91 (d, 1, $\underline{H}$-1', J= 6.6 Hz), 8.31 (s, 1, 8-$\underline{H}$), 11.73 (s, 1, C_2 amide) and 12.11 (s, 1, N_1 amide). Anal. Calcd. for $C_{23}H_{37}N_5O_6$: C, 57.60; H, 7.78; N, 14.60. Found: C, 57.63; H, 7.92; N, 14.62.

EXAMPLE 15

N2-Isobutyryl-5'-dimethoxytrityl-2'-*O*-nonylguanosine

N2-Isobutyryl-2'-*O*-nonylguanosine (14.6 g, 30.4 mmol) was treated with dimethoxytrityl chloride (12.1 g, 34 mmol) in pyridine (200 ml) as per the procedure of Example 5 to yield 16 g of purple foam prior to chromatography and 11.5 g after chromatography purification. ^1H NMR (DMSO-$\underline{d}_6$) δ 0.84 [t, 3, C$\underline{H}_3$(nonyl), J= 7 Hz], 1.16 [m, 18, O-CH_2CH_2(C$\underline{H}_2$)$_6$, CH(C$\underline{H}_3$)$_2$], 1.43 [m, 2, O-CH_2C$\underline{H}_2$(CH$_2$)$_6$], 2.77 [m, 1, C$\underline{H}$(CH$_3$)$_2$], 3.18-3.63 (m, 4, $\underline{H}$-5', O-C$\underline{H}_2$(CH$_2$)$_7$]; 3.74 (s, 6, DMTr O-C$\underline{H}_3$) 4.06 (m, 1, $\underline{H}$-4'), 4.27 (m, 1, $\underline{H}$-3'); 4.42 (m, 1, $\underline{H}$-2'); 5.19 (d, 1, 3'-O$\underline{H}$, J= 5 Hz), 5.94 (d, 1, $\underline{H}$-1', J= 5.7 Hz), 6.83-7.38 (m, 13, DMTr aromatic), 8.14 (s, 1, 8-$\underline{H}$), 11.65 (s, 1, C_2 amide) and 12.11 (s, 1, N_1 amide). Anal. Calcd. for $C_{44}H_{55}N_5O_8$: C, 67.59; H, 7.27; N, 8.96. Found: C, 67.59; H, 7.11; N, 8.80.

EXAMPLE 16

N2-Isobutyryl-5'-dimethoxytrityl-2'-*O*-nonylguanosine 3'-ß-cyanoethyl-N,N-diisopropylphosphoramidate

N2-Isobutyryl-5'-dimethoxytrityl-2'-*O*-nonylguanosine (2.1 g) was treated with bis-(N,N-diisopropylamino)-2-cyanoethyl-phosphine (1.5 g) and N,N-diisopropylammonium

tetrazolide (0.2 g) as per the procedure of Example 6 to yield the product (2.0 g). ^{31}P NMR (CDCl$_2$) δ 150.7 and 150.4 (diastereomers).

EXAMPLE 17
2,6-Diamino-9-(2,3-di-O-propyl-ß-D-ribofuranosyl]purine

The procedure of Example 2 was repeated utilizing 2,6-diamino-9-(ß-D-ribofuranosyl)purine (10 g), NaH (3 g) and 1-bromo-propane (10 ml) in DMF. After evaporation of the reaction solvent, the reaction products were purified by silica gel chromatography. The slower moving component yielded 4.3 g of the 2'-O-propyl product as a foam. This foam was crystallized from water to yield 3.6 g of product. The faster moving component isolated as an oil formed crystals upon standing. EtOH was added to the crystals, they were filtered and wash 1 x EtOH to yield 1.1 grams of 2',3'-di-O-propyl product. m.p. 165-167° C. ^{1}H NMR (DMSO-$\underline{d}_6$) δ 0.80 and 0.92 (t, 6, C$\underline{H}_3$), 1.6 and 1.45 (m, 4, C$\underline{H}_2$), 3.7-3.45 (br m, 6), 4.07 (m, 2), 4.5 (dd, 1), 5.55 (br t, 1, 5'-O$\underline{H}$), 5.8 (br s, 2, 6-N$\underline{H}_2$), 5.85 (d, 1, $\underline{H}$-1'), 6.84 (br s, 2, 2-N$\underline{H}_2$) and 8.0 (s, 1, $\underline{H}$-8).
Anal. Calcd. for C$_{16}$H$_{26}$N$_6$O$_4$: C, 52.45; H, 7.15; N, 22.94. Found: C, 52.18; H, 7.19; N, 22.75.

EXAMPLE 18
N2,N6-Diisobutyryl-2,6-diamino-9-(2-O-propyl-ß-D-ribo-furanosyl)purine

2,6-diamino-9-(2-O-propyl-ß-D-ribofuranosyl)purine (2.0 g) in pyridine (35 ml) was treated with trimethylsilyl chloride (3.9 ml, 5 eq) and isobutyryl chloride (3.2 ml, 5 eq) as per the procedure of Example 4 to yield a foam after silica gel chromatography. The foam was crystallized from EtOAc/Hex to yield 2.2 g of product. m.p. 140-142° C. ^{1}H NMR (DMSO-$\underline{d}_6$) δ 0.77 (t, 3, C$\underline{H}_3$), 1.07, 1.16 [d, 12, 2 x CH(C$\underline{H}_3$)$_2$], 1.5 (m, 2, C$\underline{H}_2$), 2.9, 3.03 [m, 2, 2 x C$\underline{H}$(CH$_3$)$_2$], 3.4 (m, 1, $\underline{H}$-5''), 3.58 (m, 3, OC$\underline{H}_2$, $\underline{H}$-5'), 3.95 (m, 1, $\underline{H}$-4'), 4.3 (m, 1), 4.5

(m, 1), 5.02 (t, 1, 5'-O$\underline{H}$), 5.2 (d, 1, 3'-O$\underline{H}$), 6.03 (d, 1, $\underline{H}$-1'), 8.58 (s, 1, $\underline{H}$-8), 10.39 (br s, 1, N$\underline{H}$), and 10.57 (br s, 1, N$\underline{H}$).

EXAMPLE 19

N2,N6-Diisobutyryl-2,6-diamino-9-(5-O-dimethoxytrityl-2-O-propyl-ß-D-ribofuranosyl)purine

N2,N6-Diisobutyryl-2,6-diamino-9-(2-O-propyl-ß-D-ribo-furanosyl)purine (1.9 g) was treated with dimethoxytrityl chloride (1.5 g, 1.1 eq), and dimethylaminopyridine (20 mg as a catalyst) in pyridine (50 ml) as per the procedure of Example 5 to yield the product as a foam (2.8 g). ^{1}H NMR (DMSO-$\underline{d}_6$) δ 0.79 (t, 3, C$\underline{H}_3$), 1.07, 1.16 [d, 12, 2 x CH(C$\underline{H}_3$)$_2$], 1.5 (m, 2, C$\underline{H}_2$), 2.9, 3.03 [m, 2, 2 x C$\underline{H}$(CH$_3$)$_2$], 3.58 (m, 3, OC$\underline{H}_2$, $\underline{H}$-5'), 4.15 (m, 1, $\underline{H}$-4'), 4.4 (m, 1), 4.6 (m, 1), 5.15 (d, 1, 3'-O$\underline{H}$), 6.15 (d, 1, $\underline{H}$-1'), 6.—8-7.35 (m, 13, DMTr), 8.5 (s, 1, $\underline{H}$-8), 10.3 (br s, 1, N$\underline{H}$), and 10.57 (br s, 1, N$\underline{H}$).

EXAMPLE 20

N2,N6-Diisobutyryl-2,6-diamino-9-(5-O-dimethoxytrityl-2-O-propyl-ß-D-ribofuranosyl)purine   3'-ß-cyanoethyl-N,N-diisopropylphosphoramidate

N2,N6-Diisobutyryl-2,6-diamino-9-(5-O-dimethoxy-trityl-2-O-propyl-ß-D-ribofuranosyl)purine (2.6 g) was treated with *bis*-(N,N-diisopropylamino)-2-cyanoethylphosphite (1.7 g) and N,N-diisopropylammonium tetrazolide (300 mg) overnight at room temperature. The reaction mixture was partitioned against dil. Na$_2$CO$_3$/CHCl$_2$ and then Na$_2$CO$_3$/NaCl and dried over MgSO$_4$. The organic layer was evaporated to a foam. The foam was dissolved in CH$_2$Cl2 (~8 ml) and slowly added to Hexanes (500 ml). The solid was filtered and dried to yield the product as a powder (3.1 g). ^{31}P NMR (CDCl$_3$) δ 150.8 and 151.3.

EXAMPLE 21

2,6-Diamino-9-[2-O-(N-phthalimido)propyl-ß-D-ribofuranosyl] purine & 2,6-Diamino-9-[3-O-(N-phthalimido)propyl-ß-D-ribofuranosyl]purine

2,6-Diamino-9-(ß-D-ribofuranosyl)purine (14.2 g) was treated with sodium hydride (3 g, 1.5 eq) and N-(3-bromopropyl) phthalimide (5.3 ml, 1.5 eq) in DMF (20 g) at 70° C overnight. The reaction mixture was proportioned between H_2O and Hexanes (1x), then extracted 4 x CH_2Cl_2. The organic layer was dried over $MgSO_4$ and evaporated to a residue. The residue was purified by silica gel chromatography eluted with MeOH/CH_2Cl_2. The 2'-O-(N-phthalimido)propyl product eluted first followed by mixed fractions and then the 3'-O-(N-phthalimido) product. Evaporations of the fractions gave 3.4 g of the 2'-O-(N-phthalimido)propyl product, 3.0 g of mixed 2' and 3' products and 1.4 g of the 3'-O-(N-phthalimido)propyl product all as foams. The 3'-O-(N-phthalimido)propyl product was crystallized from EtOAc/MeOH to give 270 mg of solid.·

2,6-Diamino-9-[2-O-(N-phthalimido)propyl-ß-D-ribofuranosyl] purine

^{1}H NMR (DMSO-$\underline{d}_6$) δ 1.8 (tq, 2, -C$\underline{H}_2$-), 3.4-3.58 (m, 6, 2x C$\underline{H}_2$, $\underline{H}$-5'), 3.9 (m, 1), 4.26 (m, 1), 4.37 (m, 1), 5.05 (br d, 1, 3'-O$\underline{H}$), 5.4 (br t, 1, 5'-O$\underline{H}$), 5.72 (br s, 2, N$\underline{H}_2$), 5.8 (br d, 1, $\underline{H}$-1'), 6.75 (br s, 2, N$\underline{H}_2$), 7.8 (br s, 4, Ar) and 8.93 (s, 1, $\underline{H}$-8).

2,6-Diamino-9-[3-O-(N-phthalimido)propyl-ß-D-ribofuranosyl] purine

m.p. 220-222° C, ^{1}H NMR (DMSO-$\underline{d}_6$) δ 1.85 (tq, 2, -C$\underline{H}$-N), 3.6-3.67 (m, 4, -O-C$\underline{H}_2$, $\underline{H}$-5'), 3.85 (m, 1), 3.92 (m, 1), 4.6 (m, 1), 5.33 (d, 1, 2'-O$\underline{H}$), 5.45 (br t, 1, 5'-O$\underline{H}$), 5.65 (d, 1, $\underline{H}$-1'), 5.73 (br s, 2, N$\underline{H}_2$), 6.75 (br d, 2, N$\underline{H}_2$), 7.8-7.85 (m, 4, Ar) and 7.85 (s, 1, $\underline{H}$-8). Anal. Calcd. for $C_{21}H_{23}N_7O_6$: C, 53.73; H, 4.94; N, 20.88. Found: C, 53.59; H, 4.89; N, 20.63. ·

EXAMPLE 22

2'-O-(N-Phthalimido)propylguanosine

2,6-diamino-9-[2-O-(N-phthalimido)propyl-ß-D-ribofuranosyl] purine (3.1 g) in 0.1 M sodium phosphate buffer (3 ml, pH 7.4), 0.05 M tris buffer (65 ml, pH 7.4) and DMSO (45 ml) was treated with adenosine deaminase (200 mg) at room temperature for 5 days as per the procedure of Example 3. The product containing fractions from the silica gel chromatography were evaporated and upon concentration formed white crystals. The crystals were filtered and washed with MeOH to yield 1.1 g of product. An analytical sample was recrystallized from MeOH. m.p. 192-194° C. ^{1}H NMR (DMSO-$\underline{d}_6$) δ 1.82 (m, 2, C$\underline{H}_2$), 3.45-3.67 (m, 6, $\underline{H}$-5', OC$\underline{H}_2$, NC$\underline{H}_2$), 3.9 (m, 1), 4.3 (m, 2, $\underline{H}$-2', $\underline{H}$-3'), 5.1 (m, 2, 5' and 3'-O$\underline{H}$), 5.8 (d, 1, $\underline{H}$-1'), 6.5 (br s, 2, N$\underline{H}_2$), 7.83 (s, 4, phthal), 7.98 (s, 1, $\underline{H}$-8) and 10.5 (br s, 1, N$\underline{H}$). Anal. Calcd. for $C_{21}H_{22}N_6O_7 \cdot \frac{1}{2}H_2O$: C, 52.61; H, 4.83; N, 17.53. Found: C, 52.52; H, 4.78; N, 17.38.

EXAMPLE 23

N2-Isobutyryl-2'-O-(N-phthalimido)propylguanosine

2'-O-(N-phthalimido)propylguanosine (7.2 g, crude) in pyridine (35 ml) was treated with trimethylsilyl chloride (11.6 ml, 5 eq) and isobutyryl chloride (8 ml, 5 eq) as per the procedure of Example 4 to yield the product as a crude foam (6.5 g). An analytical sample was obtained by crystallization from EtOAc. m.p. 166-168° C. ^{1}H NMR (DMSO-$\underline{d}_6$) δ 1.15 [d, 6, -CH(C$\underline{H}_3$)$_2$], 1.85 (m, 2, C$\underline{H}_2$), 2.8 [m, 1, C$\underline{H}$(CH$_3$)$_2$], 3.45-3.7 (m, 6, H-5', OC$\underline{H}_2$, NC$\underline{H}_2$), 3.95 (m, 1), 4.34 (m, 1), 4.4 (m, 1), 5.12 (t, 1, 5'-O$\underline{H}$), 5.18 (d, 1, 3'-O$\underline{H}$), 5.9 (d, 1, $\underline{H}$-1'), 7.83 (s, 4, phthal), 8.3 (s, 1, $\underline{H}$-8), 11.65 (br s, 1, N$\underline{H}$) and 12.1 (br s, 1, N$\underline{H}$). Anal. Calcd. for $C_{25}H_{28}N_6O_8 \cdot \frac{1}{2}H_2O$: C, 54.64; H, 5.32; N, 15.29. Found: C, 54.46; H, 5.39; N, 14.98.

EXAMPLE 24

N2-Isobutyryl-5'-dimethoxytrityl-2'-O-(N-phthalimido)propyl-guanosine

      N2-Isobutyryl-2'-O-(N-phthalimido)propylguanosine (1.2 g) was treated with dimethoxytrityl chloride (820 mg, 1.1 eq), and dimethylaminopyridine (20 mg as a catalyst) in pyridine (50 ml) as per the procedure of Example 5 utilizing 1:1 Hex/EtOAc, then EtOAc then 5%MeOH/EtOAc with 1% TEA as eluent. The product containing fraction were evaporated to yield the product as a foam (1.7 g). ^{1}H NMR (DMSO-$\underline{d}_6$) δ 1.1 [d, 6, -CH(C$\underline{H}_3$)$_2$], 1.85 (m, 2, C$\underline{H}_2$), 2.75 [m, 1, C$\underline{H}$(CH$_3$)$_2$], 3.45-3.7 (m, 6, H-5', OC$\underline{H}_2$, NC$\underline{H}_2$), 3.75 (s, 6, OC$\underline{H}_3$), 4.0 (m, 1), 4.32 (m, 1), 4.4 (m, 1), 5.2 (d, 1, 3'-O$\underline{H}$), 5.93 (d, 1, $\underline{H}$-1'), 6.83, 7.2, 7.35 (m, 13, DMTr), 7.78 (s, 4, phthal), 8.15 (s, 1, $\underline{H}$-8), 11.6 (br s, 1, N$\underline{H}$) and 12.05 (br s, 1, N$\underline{H}$). Anal. Calcd. for C$_{46}$H$_{46}$N$_6$O$_{10}$·H$_2$O: C, 64.18; H, 5.62; N, 9.76. Found: C, 64.42; H, 5.78; N, 9.53.

EXAMPLE 25

N2-Isobutyryl-5'-dimethoxytrityl-2'-O-(N-phthalimido)propyl-guanosine 3'-ß-cyanoethyl-N,N-diisopropylphosphoramidate

      N2-Isobutyryl-5'-dimethoxytrityl-2'-O-(N-phthal-imido) propylguanosine (1.6 g) was treated with *bis*-(N,N-diisopropylamino)-2-cyanoethylphosphite (1.48 g) and N,N-diisopropylammonium tetrazolide (200 mg) as per the procedure of Example 6 to yield the product (2.0 g). ^{31}P NMR (CDCl$_3$) δ 150.9.

EXAMPLE 26

N2-Dimethylaminomethylidene-5'-dimethoxytrityl-2'-O-(N-phthal-imido)propylguanosine

      2'-O-(N-phthalimido)propylguanosine (900 mg) in DMF (20 ml) was treated with N,N-dimethylformamide dimethyl acetal (2 ml). The reaction mixture was stirred for 2 hr and evaporated under high vac at 52° C. The residue was co-evaporated 1 x with pyridine and taken up in solution in pyridine. Dimethoxytrityl chloride (713 mg, 1.1 eq) and dimethyl-

aminopyridine (20 mg as a catalyst) were added. The reaction mixture was stirred overnight, partitioned between Na_2CO_3/CH_2Cl_2, dried over $MgSO_4$ and purified by silica gel chromatography as per the procedure of Example 5 to yield 1.7 g of product as an off white solid. ^1H NMR (DMSO-$\underline{d}_6$) δ 1.88 (m, 2, C$\underline{H}_2$), 3.1 [d, 6, N=CHN(C$\underline{H}_3$)$_2$], 3.3 (m, 2, $\underline{H}$-5'), 3.67 (m, 4, OC$\underline{H}_2$, NC$_2$), 3.78 (s, 6, 2x OC$\underline{H}_3$), 4.0 (m, 1, $\underline{H}$-4'), 4.35 (m, 2, $\underline{H}$-2', $\underline{H}$-3'), 5.2 (d, 1, 3'-O$\underline{H}$), 5.95 (d, 1, $\underline{H}$-1'), 6.85, 7.25, 7.39 (m, 13, DMTr), 7.85 (s, 4, phthal), 7.95 [s, 1, $\underline{H}$-8), 8.5 (s, 1, N=C$\underline{H}$N(CH$_3$)$_2$] and 11.39 (s, 1, N$\underline{H}_2$). Anal. Calcd. for $C_{45}H_{45}N_7O_9 \cdot \frac{1}{2}H_2O$: C, 64.58; H, 5.54; N, 11.71. Found: C, 64.10; H, 5.65; N, 11.47.

EXAMPLE 27

N2-Dimethylaminomethylidene-5'-dimethoxytrityl-2'-O-(N-phthalimido)propylguanosine 3'-ß-cyanoethyl-N,N-diisopropylphosphoramidate

N2-Isobutyryl-5'-dimethoxytrityl-2'-O-(N-phthalimido) propylguanosine (1.7 g), bis-(N,N-diisopropylamino)-2-cyanoethylphosphite (1.4 ml) and N,N-diisopropylammonium tetrazolide (170 mg) were stirred overnight at room temperature. The reaction mixture was partitioned between CH_2Cl_2 and Na_2CO_3 2 x. The organic phase was dried over $MgSO_4$ and evaporated to an oil. The oil was dissolved in a minimum of CH_2Cl_2 and added dropwise to ≈ 900 ml Hexanes to precipitate the product. The solid was isolated and dried to yield 2.1 g of product. ^1P NMR (CDCl$_3$) δ 150.4, 150.6.

EXAMPLE 28

2,6-Diamino-9-[2-O-(N-phthalimido)pentyl-ß-D-ribofuranosyl] purine

2,6-Diamino-(9-ß-D-ribofuranosyl)purine (6.7 g) was treated with sodium hydride (1.3 g) and N-(3-bromopentyl) phthalimide (7.8 g, 1.1 eq) in DMF (60 ml) at room temperature for three days. The reaction mixture was proportioned between H_2O and CH_2Cl_2 and extracted 4 x CH_2Cl_2. The combined organic layers were dried over $MgSO_4$ and evaporated to a residue. The

residue was purified by silica gel chromatography eluted with 5 → 10%   MeOH/CH$_2$Cl$_2$.   The   2'-O-(N-phthalimido)pentyl containing fractions were collected and evaporated to a yellow foam to give 2.2 g of product.   An analytical sample was crystallized from EtOH.   m.p. 173-175° C. ^{1}H NMR (DMSO-$\underline{d}_6$) δ 1.2 (m, 2, -C$\underline{H}_2$-), 1.47 (m, 4, 2x C$\underline{H}_2$), 3.55, 3.65 (m, 6, O-C$\underline{H}_2$, $\underline{H}$-5', NC$\underline{H}_2$), 3.95 (m, 1), 4.28 (m, 1), 4.4 (m, 1), 5.13 (d, 1, 3'-O$\underline{H}$), 5.5 (t, 1, 5'-O$\underline{H}$), 5.77 (br s, 2, 6-N$\underline{H}_2$), 5.84 (br d, 1, $\underline{H}$-1'), 6.8 (br s, 2, 2-N$\underline{H}_2$), 7.86 (M, 4, phthal) and 7.95 (s, 1, $\underline{H}$-8).   Anal. Calcd. for C$_{23}$H$_{27}$N$_7$O$_6$: C, 55.50; H, 5.47; N, 19.71. Found: C, 55.44; H, 5.51; N, 19.30.

EXAMPLE 29
2'-O-(N-Phthalimido)pentylguanosine

A mixture of the 2,6-diamino-9-[2-O-(N-phthalimido) pentyl-ß-D-ribofuranosyl]purine and 2,6-diamino-9-[3-O-(N-phthalimido) pentyl-ß-D-ribofuranosyl]purine isomers (2.2 g) in 0.1 M tris buffer (60 ml, pH 7.4), 0.1 M NaPO$_4$ buffer (2 ml, pH 7.4) and DMSO (40 ml) was treated with adenosine deaminase (60 mg) at room temperature for 5 days as per the procedure of Example 3. The product containing fractions from the silica gel chromatography were evaporated to give the product (1.0 g) as a crude white solid. An analytical sample was prepared by the addition of MeOH to form crystals. m.p. 178-180° C. ^{1}H NMR (DMSO-$\underline{d}_6$) δ 1.24 (m, 2, C$\underline{H}_2$), 1.5 (m, 4, 2x C$\underline{H}_2$), 3.5-3.6 (m, 6, $\underline{H}$-5', OC$\underline{H}_2$, NC$\underline{H}_2$), 3.87 (m, 1, $\underline{H}$-4'), 4.25 (m, 2, $\underline{H}$-2', $\underline{H}$-3'), 5.1 (m, 2, 5' and 3'-O$\underline{H}$), 5.78 (d, 1, $\underline{H}$-1'), 6.5 (br s, 2, N$\underline{H}_2$), 7.84 (M, 4, phthal), 7.98 (s, 1, $\underline{H}$-8) and 10.67 (br s, 1, N$\underline{H}$). Anal. Calcd. for C$_{23}$H$_{26}$N$_6$O$_7$·½H$_2$O: C, 54.43; H, 5.36; N, 16.56. Found: C, 54.79; H, 5.24; N, 16.61.

EXAMPLE 30
N2-Isobutyryl-2'-O-(N-phthalimido)pentylguanosine

2'-O-(N-phthalimido)pentylguanosine (1.6 g, crude) in pyridine (35 ml) was treated with trimethylsilyl chloride (2.0 ml, 5 eq) and isobutyryl chloride (1.68 ml, 5 eq) as per

the procedure of Example 4 to yield the product as a foam. This foam was co-evaporated 2 x with EtOAc followed by the addition of EtOAc and heating to yield white crystals (950 mg). m.p. 202-204° C. ^{1}H NMR (DMSO-$\underline{d}_6$) δ 1.1 [d, 6, -CH(C$\underline{H}_3$)$_2$], 1.17 (m, 2, C$\underline{H}_2$), 1.43 (m, 4, 2x C$\underline{H}_2$), 2.74 [m, 1, C$\underline{H}$(CH$_3$)$_2$], 3.45-3.55 (m, 6, H-5', OC$\underline{H}_2$, NC$\underline{H}_2$), 3.9 (m, 1), 4.25 (m, 1), 4.3 (m, 1), 5.07 (t, 1, 5'-O$\underline{H}$), 5.15 (d, 1, 3'-O$\underline{H}$), 5.87 (d, 1, $\underline{H}$-1'), 7.8 (s, 4, phthal), 8.27 (s, 1, $\underline{H}$-8), 11.67 (br s, 1, N$\underline{H}$) and 12.06 (br s, 1, N$\underline{H}$). Anal. Calcd. for $C_{27}H_{32}N_6O_8 \cdot \frac{1}{2}H_2O$: C, 56.14; H, 5.76; N, 14.55. Found: C, 56.45; H, 5.74; N, 14.41.

EXAMPLE 31

N2-Isobutyryl-5'-dimethoxytrityl-2'-O-(N-phthalimido)pentylguanosine

N2-Isobutyryl-2'-O-(N-phthalimido)pentylguanosine (0.95 g) was treated with dimethoxytrityl chloride (620 mg, 1.1 eq), and dimethylaminopyridine (20 mg as a catalyst) in pyridine (50 ml) as per the procedure of Example 5 utilizing EtOAc 1% TEA and then 5% MeOH EtOAc/CH$_2$Cl$_2$ with 1% TEA as eluent. The product containing fractions were evaporated to yield the product as a foam (1.4 g). ^{1}H NMR (DMSO-$\underline{d}_6$) δ 1.14 [d, 6, -CH(C$\underline{H}_3$)$_2$], 1.25 (m, 2, C$\underline{H}_2$), 1.53 (m, 4, 2x C$\underline{H}_2$), 2.77 [m, 1, C$\underline{H}$(CH$_3$)$_2$], 3.3-3.6 (m, 6, H-5', OC$\underline{H}_2$, NC$\underline{H}_2$), 3.75 (s, 6, OC$\underline{H}_3$), 4.07 (m, 1), 4.33 (m, 1), 4.4 (m, 1), 5.18 (d, 1, 3'-O$\underline{H}$), 5.94 (d, 1, $\underline{H}$-1'), 6.83, 7.2, 7.53 (m, 13, DMTr), 7.8 (s, 4, phthal), 8.15 (s, 1, $\underline{H}$-8), 11.6 (br s, 1, N$\underline{H}$) and 12.1 (br s, 1, N$\underline{H}$). Anal. Calcd. for $C_{48}H_{50}N_6O_{10} \cdot \frac{1}{2}H_2O$: C, 65.52; H, 5.84; N, 9.55. Found: C, 65.55; H, 5.94; N, 9.20.

EXAMPLE 32

2,6-Diamino-9-[3,5-O-(tetraisopropyldisiloxane-1,3-diyl)-ß-D-ribofuranosyl]purine

To a suspension of 2,6-diamino-9-(ß-D-ribofuranosyl)purine (10.5 g) in pyridine (100 ml) was added 1,3-dichlorotetraisopropyldisiloxane (TIPDS, 12.6 g). The reaction was stirred at room temperature for 4 hours and an

additional 1.3 g of 1,3-dichlorotetraisopropyldisiloxane was
added followed by stirring overnight. The reaction mixture
was poured into ice water and the insoluble product (11.6 g)
collected by filtration. An analytical sample was recrys-
tallized from EtOAc/Hexanes. m.p. 170-172° C. Anal. Calcd.
for $C_{22}H_{40}N_6O_5Si_2 \cdot \frac{1}{2}H_2O$: C, 49.5; H, 7.74; N, 15.7. Found: 49.57;
H, 7.82; N, 15.59.

EXAMPLE 33

2,6-Diamino-9-[3,5-O-(tetraisopropyldisiloxane-1,3-diyl)-2-O-methyl-ß-D-ribofuranosyl]purine

A mixture of 2,6-Diamino-9-[3,5-O-(tetraisopropyl-
disiloxane-1,3-diyl)-ß-D-ribofuranosyl]purine (8.8 g) in DMF
(120 ml) and methyl iodide (3 ml, 3 eq) was cooled in an ice
bath and NaH (60% in oil, 1.0 g, 1.5 eq) added. After 20 min
the reaction was quenched with MeOH and partitioned between
sat. NH_4Cl and CH_2Cl_2. The organic phase was washed with 1 x
NH_4Cl, dried over $MgSO_4$ and evaporated. The residue was
crystallized from hot $EtOH/H_2O$ to yield the product (8.5 g) as
crystals. m.p. 87-89°C. ^1H NMR (DMSO-$\underline{d}_6$) δ 1.05 (m, 28,
TIPDS), 3.57 (s, 3, OC$\underline{H}_3$), 3.98 (m, 1, $\underline{H}$-4'), 3.92 and 4.07
(ABX, 2, $\underline{H}$-5'), 4.13 (d, 1), 4.6 (dd, 1, $\underline{H}$-3'), 5.76 (br s,
2, N$\underline{H}_2$), 5.8 (s, 1, $\underline{H}$-1'), 6.77 (br s, 2, N$\underline{H}_2$) AND 7.77 (s, 1
$\underline{H}$-8).

EXAMPLE 34

2,6-Diamino-9-(2-O-methyl-ß-D-ribofuranosyl)purine

To a solution of 2,6-Diamino-9-[3,5-O-(tetraiso-
propyldisiloxane-1,3-diyl)-2-O-methyl-ß-D-ribofuranosyl]purine
(8.5 g) in THF (50 ml) was added 1M tetrabutylammonium
fluoride in THF (Aldrich, 20 ml). The reaction mixture was
stirred for 2 hrs and filtered. The filter cake was washed
with 2 x EtOAc and air dried to give 4.0 g of crude product.
An analytical sample was crystallized from hot MeOH. m.p.
133-135° C. ^1H NMR (DMSO-$\underline{d}_6$) δ 3.3 (s, 3, OC$\underline{H}_3$), 3.58 (m, 2,
$\underline{H}$-5'), 3.98 (m, 1, $\underline{H}$-4'), 4.28 (m, 2, $\underline{H}$-2', $\underline{H}$-3'), 5.23 (br
s, 1, 3'-O$\underline{H}$), 5.48 (br t, 1, 5'-O$\underline{H}$), 5.77 (br s, 2, N$\underline{H}_2$), 5.82

(d, 1, H-1'), 6.83 (br s, 2, NH$_2$) and 7.95 (s, 1, H-8). Anal.
Calcd. for C$_{11}$H$_{16}$N$_6$O$_4$·½H$_2$O: C, 43.28; H, 5.61; N, 27.52. Found:
C, 43.51; H, 5.62; N, 27.26.

EXAMPLE 35
2'-O-Methylguanosine

2,6-Diamino-9-(2-O-methyl-ß-D-ribofuranosyl)purine
(9.5 g) in 0.1M sodium phosphate buffer (200 ml, pH 7.4) and
DMSO (25 ml) was treated with adenosine deaminase (Type II
Sigma) at RT for 4 days. The resulting suspension was cooled
and filtered and the resulting filter cake washed with H$_2$O and
dried to a white solid (4.0 g). The solid was recrystallized
from hot H$_2$O to yield 2.9 g of product. m.p. 236-238° C. ^{1}H
NMR (DMSO-d$_6$) δ 3.3 (s, 3, OCH$_3$), 3.53 and 3.6 (ABX, 2, H-5'),
3.87 (m, 1, H-4'), 4.15 (m, 1, H-2'), 4.25 (m, 1, H-3'), 5.13
(t, 1, 5'-OH), 5.23 (d, 1, 3'-OH), 5.8 (d, 1, H-1'), 6.48 (br
s, 2, NH$_2$), 7.96 (s, 1, H-8) and 10.68 (br s, 1, NH). Anal.
Calcd. for C$_{11}$H$_{15}$N$_5$O$_5$·½H$_2$O: C, 43.14; H, 5.26; N, 22.86. Found:
C, 43.59; H, 5.34; N, 23.04.

EXAMPLE 36
N2-Isobutyryl-2'-O-methylguanosine

2'-O-methylguanosine (3.5 g) in pyridine (100 ml)
was treated with trimethylsilyl chloride (9 ml, 6 eq) and
isobutyryl chloride (6.2 ml) at RT for 4 hr. The reaction
mixture was cooled in an ice bath, H$_2$O (20) was added and
stirring continued for an additional 20 min. NH$_4$OH (20 ml)
was added and after stirring for 30 min the reaction mixture
was evaporated. The residue was triturated with H$_2$O, filtered
and the filtrate evaporated and purified by silica gel
chromatography as per the procedure of Example 4 to yield the
product as an off white solid (1.5 g). ^{1}H NMR (DMSO-d$_6$) δ 1.1
[d, 6, CH(CH$_3$)$_2$], 2.77 [m, 1, CH(CH$_3$)$_2$], 3.33-3.6 (m, 5, OCH$_3$,
H-5'), 3.93 (m, 1, H-4'), 4.22 (m, 1), 4.3 (m, 1), 5.1 (t, 1,
5'-OH), 5.28 (d, 1, 3'-OH), 5.9 (d, 1, H-1'), 8.28 (s, 1, H-8)
and 11.9 (br s, 1, NH).

EXAMPLE 37

N2-Isobutyryl-5'-dimethoxytrityl-2'-O-methylguanosine

N2-Isobutyryl-2'-O-methylguanosine (1.5 g) was treated with dimethoxytrityl chloride (1.5 g, 1.1 eq), and dimethylaminopyridine (100 mg as a catalyst) in pyridine (50 ml) as per the procedure of Example 5 to yield the product as a foam (2.6 g). ^{1}H NMR (DMSO-$\underline{d}_6$) δ 1.14 (d, 6, CH(C$\underline{H}_3$)$_2$], 2.75 [m, 1, C$\underline{H}$(CH$_3$)$_2$], 3.5 (m, 2, $\underline{H}$-5'), 3.74 (s, 6, OC$\underline{H}_3$), 4.05 (m, 1), 4.33 (m, 1), 5.26 (d, 1, 3'-O$\underline{H}$), 5.95 (d, 1, $\underline{H}$-1'), 6.83, 7.2, 7.35 (m, 13, DMTr), 8.15 (s, 1, $\underline{H}$-8), 11.6 (br s, 1, N$\underline{H}$) and 12.1 (br s, 1, N$\underline{H}$).

EXAMPLE 38

N2-Isobutyryl-5'-dimethoxytrityl-2'-O-methylguanosine 3'-ß-cyanoethyl-N,N-diisopropylphosphoramidate

N2-Isobutyryl-5'-dimethoxytrityl-2'-O-methyl-guanosine (20 g) was treated with bis-(N,N-diisopropylamino)-2-cyanoethylphosphite (10.8 g) and N,N-diisopropylammonium tetrazolide (1.6 g) as per the procedure of Example 6 to yield the product (15.7 g). ^{31}P NMR (CDCl$_3$) δ 148.97 and 147.96.

EXAMPLE 39

N2,N6-Diisobutyryl-2,6-diamino-9-(2-O-methyl-ß-D-ribofuranosyl) purine

2,6-diamino-9-(2-O-methyl-ß-D-ribofuranosyl)purine (700 mg) in pyridine (20 ml) was treated with trimethylsilyl chloride (2.1 ml, 7 eq) and isobutyryl chloride (1.25 ml, 5 eq) as per the procedure of Example 4 to yield the product as a foam (900 mg) after silica gel chromatography.

EXAMPLE 40

N2,N6-Diisobutyryl-2,6-diamino-9-(5-O-dimethoxytrityl-2-O-methyl-ß-D-ribofuranosyl)purine

N2,N6-Diisobutyryl-2,6-diamino-9-(2-O-methyl-ß-D-ribofuranosyl)purine (900 mg) was treated with dimethoxytrityl chloride (1.0 g) and dimethylaminopyridine (20 mg as a catalyst) in pyridine (30 m) as per the procedure of Example

5 to yield the product as a foam (700 mg). ^{1}H NMR (DMSO-$\underline{d}_6$) δ 0.96-1.16 [m, 12, 2x CH(CH$_3$)$_2$], 2.9 and 3.05 [M, 2, 2x C$\underline{H}$(CH$_3$)$_2$], 3.18 and 3.37 (ABX, 2, $\underline{H}$-5'), 3.38 (s, 3, OC$\underline{H}_3$), 3.7 (s, 6, OC$\underline{H}_3$), 4.05 (m, 1, $\underline{H}$-4'), 4.44 (m, 2, $\underline{H}$-2',$\underline{H}$-3'), 5.24 (d, 1, 3'-O$\underline{H}$), 6.06 (d, 1, $\underline{H}$-1'), 6.78, 7.2, 7.33 (m, 13, Ar), 8.22 (s, 1, $\underline{H}$-8), 10.3 (br s, 1, N$\underline{H}$) and 10.57 (br s, 1, N$\underline{H}$).

EXAMPLE 41

N2,N6-Diisobutyryl-2,6-diamino-9-(5-*O*-dimethoxytrityl-2-*O*-methyl-ß-*D*-ribofuranosyl)purine   3'-ß-cyanoethyl-N,N-diisopropylphosphoramidate

N2,N6-Diisobutyryl-2,6-diamino-9-(5-*O*-dimethoxy-trityl-2-*O*-methyl-ß-*D*-ribofuranosyl)purine (600 mg) was treated with *bis*-(N,N-diisopropylamino)-2-cyanoethylphosphite (500 μl) and N,N-diisopropylammonium tetrazolide (80 mg) overnight at RT. The reaction mixture was partitioned against dil. Na$_2$CO$_3$/CHCl$_2$ and then Na$_2$CO$_3$/NaCl and dried over MgSO$_4$. The organic layer was evaporated to a foam (500 mg). ^{31}P NMR (CDCl$_3$) δ 151.1 (doublet).

EXAMPLE 42

2,6-Diamino-9-(2-*O*-octadecyl-ß-*D*-ribofuranosyl)purine

2,6-Diamino-9-(ß-*D*-ribofuranosyl)purine (50 g, 180 mmol) and sodium hydride (7 g) in DMF (1 l) were heated to boiling for 2 hr. Iodooctadecane (100 g) was added at 150° C and the reaction mixture allowed to cool to RT. The reaction mixture was stirred for 11 days at RT. The solvent was evaporated and the residue purified by silica gel chromatography. The product was eluted with 5% MeOH/CH$_2$Cl$_2$. The product containing fraction were evaporated to yield the product (11 g). ^{1}H NMR (DMSO-$\underline{d}_6$) δ 0.84 (t, 3, C$\underline{H}_2$); 1.22 [m, 32, O-CH$_2$-CH$_2$-(C$\underline{H}_2$)$_{16}$-]; 1.86 (m, 2, O-CH$_2$C$\underline{H}_2$-); 3.25 (m, 2, O-C$\underline{H}_2$-); 3.93 (d, 1, 4'$\underline{H}$), 4.25 (m, 1, 3'$\underline{H}$); 4.38 (t, 1, 2'$\underline{H}$); 5.08 (d, 1, 3'-O$\underline{H}$); 5.48 (t, 1, 5'-O$\underline{H}$); 5.75 (s, 2, 6-N$\underline{H}_2$); 5.84 (d, 1, 1'-$\underline{H}$); 6.8 (s, 2, 2-N$\underline{H}_2$); and 7.95 (s, 1, 8-$\underline{H}$).

EXAMPLE 43

2'-O-Octadecylguanosine

2,6-Diamino-9-(2-O-octadecyl-ß-D-ribofuranosyl) purine (10 g) in 0.1 M sodium phosphate buffer (50 ml, pH 7.4), 0.1 M tris buffer (1000 ml, pH 7.4) and DMSO (1000 ml) was treated with adenosine deaminase (1.5 g) as per the procedure of Example 3. At day 3, day 5 and day 7 an additional aliquot (500 mg, 880 mg and 200 mg, respectively) of adenosine deaminase was added. The reaction was stirred for a total of 9 day and after purification by silica gel chromatography yielded the product (2 g). An analytical sample was recrystallized from MeOH ^{1}H NMR (DMSO-$\underline{d}_6$) δ 0.84 (t, 3, C$\underline{H}_3$), 1.22 [s, 32, O-CH$_2$-CH$_2$-(C$\underline{H}_2$)$_{16}$], 5.07 (m, 2, 3'-O$\underline{H}$ 5'-O$\underline{H}$); 5.78 (d, 1, 1'-$\underline{H}$); 6.43 (s, 2, N$\underline{H}_2$), 7.97 (s, 1, 8-$\underline{H}$) and 10.64 (s, 1, N$\underline{H}_2$). Anal. Calcd. for $C_{28}H_{49}N_5O_5$: C, 62.80; H, 9.16; N, 12.95. Found: C, 62.54; H, 9.18; N, 12.95.

EXAMPLE 44

N2-Isobutyryl-2'-O-octadecylguanosine

2'-O-Octadecylguanosine (1.9 g) in pyridine (150 ml) was treated with trimethylsilyl chloride (2 g, 5 eq) and isobutyryl chloride (2 g, 5 eq) as per the procedure of Example 4. The product was purified by silica gel chromatography (eluted with 3% MeOH/EtOAc) to yield 1.2 g of product. ^{1}H NMR (DMSO-$\underline{d}_6$) δ 0.85 [t, 3, C$\underline{H}_3$], 1.15 [m, 38, O-CH$_2$CH$_2$(C$\underline{H}_2$)$_{16}$, CH(C$\underline{H}_3$)$_2$], 2.77 [m, 1, C$\underline{H}$(CH$_3$)$_2$], 4.25 (m, 2, 2'$\underline{H}$, 3'$\underline{H}$); 5.08 (t, 1, 5'-O$\underline{H}$), 5.12 (d, 1, 3'-O$\underline{H}$), 5.87 (d, 1, 1'-$\underline{H}$), 8.27 (s, 1, 8-$\underline{H}$), 11.68 (s, 1, N$\underline{H}_2$) and 12.08 (s, 1, N$\underline{H}_2$). Anal. Calcd. for $C_{32}H_{55}N_5O_6$: C, 63.47; H, 9.09; N, 11.57. Found: C, 63.53; H, 9.20; N, 11.52.

EXAMPLE 45

2,6-Diamino-9-[2-O-(imidazol-1-yl)butyl-ß-D-ribofuranosyl] purine

2,6-Diamino-(9-ß-D-ribofuranosyl)purine (5.0 g) in DMF (400 ml) was treated with sodium hydride (0.78 g). After stirring an additional 30 min a further portion of sodium

hydride (2.6 g) was added immediately followed by bromobutyl-imidazole (9.9 g) in DMF (25 ml). The reaction mixture was stirred overnight and quenched with H$_2$O. The reaction mixture was filtered through celite and evaporated to yield an oily product. TLC showed a mixture of isomers.

EXAMPLE 46

2'-O-(Imidazol-1-yl)butylguanosine

A mixture of the 2,6-diamino-9-[2-O-(imidazol-1-yl)butyl-ß-D-ribofuranosyl]purine and 2,6-diamino-9-[3-O-(imidazol-1-yl)butyl-ß-D-ribofuranosyl]purine isomers in 0.1 M tris buffer (pH 7.4), 0.1 M NaSO$_4$ buffer (pH 7.4) and DMSO will treated with adenosine deaminase at RT for 5 days as per the procedure of Example 3. The product containing fractions will be purified by silica gel chromatography and the product containing fraction evaporated to give the product.

EXAMPLE 47

N2-Isobutyryl-2'-O-(imidazol-1-yl)butylguanosine

2'-O-(imidazol-1-yl)butylguanosine in pyridine will be treated with trimethylsilyl chloride (5 eq) and isobutyryl chloride (5 eq) as per the procedure of Example 4 to yield the product.

EXAMPLE 48

N2-Isobutyryl-5'-dimethoxytrityl-2'-O-(imidazol-1-yl)butyl-guanosine

N2-Isobutyryl-2'-O-(imidazol-1-yl)butylguanosine will be treated with dimethoxytrityl chloride (1.1 eq), and dimethylaminopyridine (as a catalyst) in pyridine as per the procedure of Example 5. After chromatography purification, the product containing fractions will be evaporated to yield the product).

EXAMPLE 49

A.   Evaluation   of   the   thermodynamics   of hybridization of 2'- modified oligonucleotides.

The ability of the 2'- modified oligonucleotides to hybridize to their complementary RNA or DNA sequences is determined by thermal melting analysis. The RNA complement is synthesized from T7 RNA polymerase and a template-promoter of DNA synthesized with an Applied Biosystems, Inc. 380B RNA species was purified by ion exchange using FPLC (LKB Pharmacia,Inc.). Natural antisense oligonucleotides or those containing 2'-O-alkyl guanosine at specific locations are added to either the RNA or DNA complement at stoichiometric concentrations and the absorbance (260 nm) hyperchromicity upon duplex to random coil transition was monitored using a Gilford Response II spectrophotometer. These measurements are performed in a buffer of 10 mM Na-phosphate, pH 7.4, 0.1 mM EDTA, and NaCl to yield an ionic strength of 10 either 0.1 M or 1.0 M. Data is analyzed by a graphic representation of $1/T_m$ vs $\ln[Ct]$, where $[Ct]$ was the total oligonucleotide concentration.   From this analysis the thermodynamic parameters is determined. Based upon the information gained concerning the stability of the duplex of heteroduplex formed, the placement of 2'-O-alkyl guanosine into oligonucleotides are assessed for their effects on helix stability. Modifications that drastically alter the stability of the hybrid exhibit reductions in the free energy (delta G) and decisions   concerning   their   usefulness   as   antisense oligonucleotides are made.

B. Fidelity of hybridization of 2'- modified oligonucleotides

The ability of the 2'-O-alkyl guanosine modified antisense oligo- nucleotides to hybridize with absolute specificity to the targeted mRNA is shown by Northern blot analysis of purified target mRNA in the presence of total cellular RNA. Target mRNA is synthesized from a vector containing the cDNA for the target mRNA located downstream

from a T7 RNA polymerase promoter. Synthesized mRNA was electrophoresed in an agarose gel and transferred to a suitable support membrane (ie. nitrocellulose). The support membrane was blocked and probed using [^{32}P]-labeled antisense oligonucleotides. The stringency will be determined by replicate blots and washing in either elevated temperatures or decreased ionic strength of the wash buffer. Autoradiography was performed to assess the presence of heteroduplex formation and the autoradiogram quantitated by laser densitometry (LKB Pharmacia, Inc.). The specificity of hybrid formation was determined by isolation of total cellular RNA by standard techniques and its analysis by agarose electrophoresis, membrane transfer and probing with the labeled 2'-modified oligonucleotides. Stringency was predetermined for the unmodified antisense oligonucleotides and the conditions used such that only the specifically targeted mRNA was capable of forming a heteroduplex with the 2'-modified oligonucleotide.

EXAMPLE 50 - Nuclease Resistance

A. Evaluation of the resistance of 2'- modified oligonucleotides to serum and cytoplasmic nucleases.

Natural phosphorothioate, and 2- modified oligonucleotides were assessed for their resistance to serum nucleases by incubation of the oligonucleotides in media containing various concentrations of fetal calf serum or adult human serum. Labeled oligonucleotides were incubated for various times, treated with protease K and then analyzed by gel electrophoresis on 20% polyacrylamine-urea denaturing gels and subsequent autoradiography. Autoradiograms were quantitated by laser densitometry. Based upon the location of the modifications and the known length of the oligonucleotide it was possible to determine the effect on nuclease degradation by the particular 2'-modification. For the cytoplasmic nucleases, a HL60 cell line was used. A post-mitochondrial supernatant was prepared by differential

centrifugation and the labeled oligonucleotides were incubated in this supernatant for various times. Following the incubation, oligo-nucleotides were assessed for degradation as outlined above for serum nucleolytic degradation. Autoradiography results were quantitated for comparison of the unmodified, the phosphorothioates, and the 2'- modified oligonucleotides.

B. Evaluation of the resistance of 2'- modified oligonucleotides to specific endo- and exo-nucleases.

Evaluation of the resistance of natural and 2'-modified oligonucleotides to specific nucleases (ie, endonucleases, 3',5'-exo-, and 5',3'-exonucleases) was done to determine the exact effect of the modifications on degradation. Modified oligonucleotides were incubated in defined reaction buffers specific for various selected nucleases. Following treatment of the products with proteinase K, urea was added and analysis on 20% poly-acrylamide gels containing urea was done. Gel products were visualized by staining using Stains All (Sigma Chemical Co.). Laser densitometry was used to quantitate the extend of degradation. The effects of the 2'-modifications were determined for specific nucleases and compared with the results obtained from the serum and cytoplasmic systems.